



## GENERAL SERVICES ADMINISTRATION

### FEDERAL SUPPLY AND SERVICE AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through *GSA Advantage!*, a menu-driven database system. The INTERNET address of *GSA Advantage!* is: [GSAAdvantage.gov](http://GSAAdvantage.gov).

MAS-Schedule  
Federal Supply Groups: 4910 and R499  
Contract Number:  
**GS07F197CA**

For more information on ordering from Federal Supply Schedules  
go to the GSA Schedules page at [GSA.gov](http://GSA.gov).

Contract Period  
7/31/2020 thru 7/31/2025

Contractor:  
Bridge Diagnostics Inc.  
740 South Pierce Avenue, Unit 15  
Louisville, CO  
80027-3058 USA  
Telephone: (303) 494-3230  
Fax: (303) 494-5027  
[info@bridgetest.com](mailto:info@bridgetest.com)  
[www.bridgetest.com](http://www.bridgetest.com)

Business Size: Small

Price list current as of modification number #A824 effective 09/2/2020

*Bridge Diagnostics, Inc. (BDI) was founded in 1989, and in that time has tested, monitored, and evaluated over 600 structures around the U.S., Asia, Australia, Europe, South America, and the Middle East. While most of these tests have been conducted on highway and railroad bridges, we have also tested and evaluated lock and dam gates, amusement park rides, commercial buildings, marine structures, mining equipment and many other heavy civil structures. One very significant component of the testing services we offer has been the in-house design and development of our specialized Structural Testing Systems (STS). To complement the STS systems, BDI also manufactures several types of structural testing sensors including strain transducers, tiltmeters, and accelerometers. This experience of working with electrical and software engineers in developing and packaging rugged data acquisition systems and sensors has given us a unique advantage in structural testing.*



1. Awarded Special Item Number:

| SINs             | Title  |
|------------------|--|
| <b>611430TTS</b> | Technical Training and Support               |
| <b>334515</b>    | Diagnostic, Measuring, and Testing Equipment |
| <b>541380</b>    | Testing Laboratory Services                  |
| <b>ANCILLARY</b> | Ancillary Supplies and Services              |

1b. Lowest Price Model Number

| SIN    | MFR NAME | MFR PART NO  | PRODUCT NAME                          | PRODUCT DESCRIPTION  | UOI  | PRICE      |
|--------|----------|--------------|---------------------------------------|--|------|------------|
| 334515 | Geokon   | 8002-4-2     | 4-Ch Vibrating Wire Data Logger       | Self-contained 4 channel vibrating wire (with thermistor) data logger. Powered by two 'D' cell batteries or solar panel for remote long term applications. Data logger is housed inside a Nema 4X non-metallic enclosure with integrated cable hubs and grounding lug. Data memory consists of 320K bytes or EEPROM, which translates into a memory storage capacity of 10,666 arrays. Come with a copy of BD-EYE View software.                                   | EACH | \$2,488.66 |
| 334515 | Geokon   | GK-640-1     | Analog Inclinator Readout             | Includes Field PC, inclinometer probe interface (installed in cable reel) and reel carry case. Cable ≤ 70 m.   | EACH | \$3,589.42 |
| 334515 | Geokon   | GK-640-1A    | Analog Inclinator Readout             | Includes Field PC, inclinometer probe interface (installed in cable reel) and reel carry case. Cable > 70 m.   | EACH | \$3,838.29 |
| 334515 | Geokon   | GK-640-2     | Analog Inclinator Readout             | Includes Field PC and inclinometer probe interface (installed in enclosure). No cable reel.  | EACH | \$3,589.42 |
| 334515 | Geokon   | GK-640-3     | Analog Inclinator Interface           | Installed in cable reel, includes carrying case.   | EACH | \$1,526.70 |
| 334515 | Geokon   | GK-640-4     | Analog Inclinator Interface           | Installed in enclosure. No cable reel.   | EACH | \$1,148.61 |
| 334515 | BDI      | STS-16-TW3   | 16-Channel Terminal Wireless Node     | Terminal sensor input with 16 data channels & 16 temperature channels, includes Wireless and Ethernet communication, +9 to +36VDC input range, +24VDC PoE, 1 digital sensor input, 4 Gb base data storage (expandable to 32Gb). Battery sold as a separate line item below.  | EACH | \$3,804.03 |
| 334515 | BDI      | STS4-16-IE4  | 16-Channel Intelliducer Ethernet Node | Rugged, weatherproof outdoor version. Options include wired Ethernet communication, IEEE 802.3af PoE, Intelliducer support, and 4Gb base data storage (expandable to 32Gb).  | EACH | \$4,502.27 |
| 334515 | BDI      | STS4-16-IW3  | 16-Channel Intelliducer Wireless Node | Rugged, weatherproof outdoor version. Options include wireless and wired Ethernet communication, IEEE 802.3af PoE, Intelliducer support, internal 98 Watt-Hr Lithium Ion battery (LI-144-98), and 4Gb base data storage (expandable to 32Gb).  | EACH | \$5,708.31 |
| 334515 | BDI      | STS4-16-TE4  | 16-Channel Terminal Node              | Terminal sensor input with 16 data channels & 16 temperature channels, includes wired Ethernet communication, s, +9 to +36VDC input range, +24VDC PoE, 1 digital sensor input, 4 Gb base data storage (expandable to 32Gb). Battery pack not avail.  | EACH | \$2,625.19 |
| 334515 | BDI      | STS4-4-IE4   | 4-Channel Intelliducer Ethernet Node  | Rugged, weatherproof outdoor version with 4 analog inputs and 4 temperature inputs. Options include wired Ethernet communication, +24VDC PoE, Intelliducer support, and 4Gb base data storage (expandable to 32Gb).  | EACH | \$2,171.79 |
| 334515 | BDI      | STS4-4-IW3   | 4-Channel Intelliducer Wireless Node  | Rugged, weatherproof outdoor version with 4 analog inputs and 4 temperature inputs. Options include wireless and wired Ethernet communication, IEEE 802.3af PoE, Intelliducer support, internal 73 Watt-Hr Lithium Ion battery (LI-108-73), and 4Gb base data storage (expandable to 32Gb).  | EACH | \$3,377.83 |
| 334515 | BDI      | STS4-4-TE4   | 4-Channel Terminal Ethernet Node      | Terminal sensor input with 4 analog inputs and 4 temperature inputs, wired Ethernet communication, +24VDC PoE, 1 digital sensor input, and 4Gb base data storage (expandable to 32Gb). Battery pack not available.   | EACH | \$1,174.31 |
| 334515 | BDI      | STS4-4-TW3   | 4-Channel Terminal Wireless Node      | Terminal sensor input with 4 analog inputs and 4 temperature inputs, wireless & wired Ethernet communication, +24VDC PoE, 1 digital sensor input, and 4Gb base data storage (expandable to 32Gb). Battery sold as a separate line item below.  | EACH | \$2,262.47 |
| 334515 | BDI      | STS4-BS-C-DB | Industrial Base Station Core          | Core communication module for the Base Station. Includes internal 98 Watt-Hr Lithium Ion battery (LI-144-98), integrated AutoClicker input, 4-port industrial Ethernet switch with one IEEE 802.3af PoE port for the wireless access point. Industrial grade access point with 2.4 Ghz & 5.0 GHz radios. 5.0 GHz radio can be used for wireless linking of multiple Base Stations. Comes with 4 Omni-direction antennas, Ethernet cable for connecting to STS4-BS- | EACH | \$2,443.83 |



|        |        |             |  |  |      |            |
|--------|--------|-------------|--|--|------|------------|
|        |        |             |  | C, and mounting hardware. IP67 rated.  |      |            |
| 334515 | BDI    | STS-ALPT-1  | Automatic Load Position Tracker                  | Vehicle mounted 900MHz wireless node with internal 73 Watt-Hr lithium ion battery, wheel rotation encoder with universal mounting bracket. Also includes the 900MHz radio receiver with mounting and connection hardware for the STS4-BS-C or digital input port on any STS4 hardware.   | EACH | \$4,982.87 |
| 334515 | BDI    | STS-ALPT-2  | Automatic Load Position Tracker                  | Vehicle mounted 2.4GHz wireless node with internal 73 Watt-Hr lithium ion battery, wheel rotation encoder with universal mounting bracket. Also includes the 2.4GHz radio receiver with mounting and connection hardware for the STS4-BS-C or digital input port on any STS4 hardware. ***International Compliant Version***   | EACH | \$4,982.87 |
| 334515 | Geokon | GK-404      | Vibrating Wire Readout                           | Vibrating Wire Readout is a portable, low-power, handheld unit that is capable of running for more than 20 hours continuously on two AA batteries. It is designed for the readout of all Geokon vibrating wire gages and transducers, and is capable of displaying the reading in either digits, frequency (Hz), period (µs), or microstrain (µε). The GK-404 also displays the temperature of the transducer (embedded thermistor) with a resolution of 0.1°C. Comes with carrying case and flying leads. | EACH | \$1,258.69 |
| 334515 | Geokon | 8032-16-5   | 16-Ch VW Multiplexer                             | 16x4 of 32x2 Channel Multiplexer, with daisy chain option, sixteen 0.11" - 0.26" strain relief cable entries, and surge protection in fiberglass Nema 4X enclosure. For reading up to 16 VW gages AND 16 thermistors. Specify cable below as required.   | KIT  | \$1,124.69 |
| 334515 | Geokon | 1050-1-1-0  | Model A-1 Single Position Borehole Extensometer  | Complete assembly including expanding rockbolt anchors, steel rod, mechanical readout. Up to 10 FT (3 m) long, for boreholes 1 3/8" to 1 5/8"Ø (35-40 mm). Specify length.   | EACH | \$143.58   |
| 334515 | Geokon | 1050-1-2-0  | Model A-1B Single Position Borehole Extensometer | Complete assembly including expanding rockbolt anchors, steel rod, with provision for VW Transducer (specify range). Up to 10FT (3m) long, for boreholes 1 3/8" to 1 5/8"Ø(35-40mm). Specify length.   | EACH | \$157.93   |
| 334515 | Geokon | 1050-2-1-0  | Model A-1 Single Position Borehole Extensometer  | Complete assembly including expanding rockbolt anchors, steel rod, mechanical readout. Up to 10 FT (3 m) long, for boreholes >1 5/8"Ø (>40 mm). Specify length.  | EACH | \$205.79   |
| 334515 | Geokon | 1050-2-2-0  | Model A-1B Single Position Borehole Extensometer | Complete assembly including expanding rockbolt anchors, steel rod, with provision for VW Transducer (specify range). Up to 10FT (3m) long, for boreholes >1 5/8"Ø(>40mm). Specify length.  | EACH | \$244.08   |
| 334515 | Geokon | 1150-1-1-1  | Head assembly for Model A-3 MPBX                 | Mechanical readout with one (1) measurement point.   | EACH | \$357.98   |
| 334515 | Geokon | 1150-1-1-2  | Head assembly for Model A-3 MPBX                 | Mechanical readout with two (2) measurement point.   | EACH | \$366.60   |
| 334515 | Geokon | 1150-1-1-3  | Head assembly for Model A-3 MPBX                 | Mechanical readout with three (3) measurement point.   | EACH | \$375.21   |
| 334515 | Geokon | 1150-1-1-4  | Head assembly for Model A-3 MPBX                 | Mechanical readout with four (4) measurement point.  | EACH | \$383.83   |
| 334515 | Geokon | 1150-1-1-5  | Head assembly for Model A-3 MPBX                 | Mechanical readout with five (5) measurement point.  | EACH | \$392.44   |
| 334515 | Geokon | 1150-1-1-6  | Head assembly for Model A-3 MPBX                 | Mechanical readout with six (6) measurement point.   | EACH | \$401.06   |
| 334515 | Geokon | 1150-1-2-1  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with one (1) measurement point.   | EACH | \$631.74   |
| 334515 | Geokon | 1150-1-2-2  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with two (2) measurement point.   | EACH | \$665.24   |
| 334515 | Geokon | 1150-1-2-3  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with three (3) measurement point.   | EACH | \$698.74   |
| 334515 | Geokon | 1150-1-2-4  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with four (4) measurement point.  | EACH | \$732.24   |
| 334515 | Geokon | 1150-1-2-5  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with five (5) measurement point.  | EACH | \$765.74   |
| 334515 | Geokon | 1150-1-2-6  | Head assembly for Model A-3 MPBX                 | Vibrating wire readout with six (6) measurement point.   | EACH | \$799.24   |
| 334515 | Geokon | 1150-1-2M-1 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with one (1) measurement point.  | EACH | \$827.96   |
| 334515 | Geokon | 1150-1-2M-2 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with two (2) measurement point.  | EACH | \$861.46   |
| 334515 | Geokon | 1150-1-2M-3 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with three (3) measurement point.  | EACH | \$894.96   |
| 334515 | Geokon | 1150-1-2M-4 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with four (4) measurement point.   | EACH | \$928.46   |
| 334515 | Geokon | 1150-1-2M-5 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with five (5) measurement point.   | EACH | \$961.96   |
| 334515 | Geokon | 1150-1-2M-6 | Head assembly for Model A-3 MPBX                 | Vibrating wire and mechanical readout with six (6) measurement point.  | EACH | \$995.47   |
| 334515 | Geokon | 1150-1-3-1  | Head assembly for Model A-3 MPBX                 | Linear potentiometer readout with one (1) measurement point.   | EACH | \$631.74   |
| 334515 | Geokon | 1150-1-3-2  | Head assembly for Model A-3 MPBX                 | Linear potentiometer readout with two (2) measurement point.   | EACH | \$665.24   |
| 334515 | Geokon | 1150-1-3-3  | Head assembly for Model A-3 MPBX                 | Linear potentiometer readout with three (3) measurement point.   | EACH | \$698.74   |



|        |        |             | 3 MPBX                           |   |      |            |
|--------|--------|-------------|----------------------------------|---|------|------------|
| 334515 | Geokon | 1150-1-3-4  | Head assembly for Model A-3 MPBX | Linear potentiometer readout with four (4) measurement point.           | EACH | \$732.24   |
| 334515 | Geokon | 1150-1-3-5  | Head assembly for Model A-3 MPBX | Linear potentiometer readout with five (5) measurement point.           | EACH | \$765.74   |
| 334515 | Geokon | 1150-1-3-6  | Head assembly for Model A-3 MPBX | Linear potentiometer readout with six (6) measurement point.            | EACH | \$799.24   |
| 334515 | Geokon | 1150-1-4-1  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with one (1) measurement point.                      | EACH | \$631.74   |
| 334515 | Geokon | 1150-1-4-2  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with two (2) measurement point.                      | EACH | \$665.24   |
| 334515 | Geokon | 1150-1-4-3  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with three (3) measurement point.                    | EACH | \$698.74   |
| 334515 | Geokon | 1150-1-4-4  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with four (4) measurement point.                     | EACH | \$732.24   |
| 334515 | Geokon | 1150-1-4-5  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with five (5) measurement point.                     | EACH | \$765.74   |
| 334515 | Geokon | 1150-1-4-6  | Head assembly for Model A-3 MPBX | DC-DC LVDT readout with six (6) measurement point.                      | EACH | \$799.24   |
| 334515 | Geokon | 1150-2-1    | Spring Loaded Head Assembly      | One (1) measurement point.  | EACH | \$703.53   |
| 334515 | Geokon | 1150-2-2    | Spring Loaded Head Assembly      | Two (2) measurement point.  | EACH | \$909.32   |
| 334515 | Geokon | 1150-2-3    | Spring Loaded Head Assembly      | Three (3) measurement point.  | EACH | \$1,115.11 |
| 334515 | Geokon | 1150-2-4    | Spring Loaded Head Assembly      | Four (4) measurement point.   | EACH | \$1,320.91 |
| 334515 | Geokon | 1150-2-5    | Spring Loaded Head Assembly      | Five (5) measurement point.   | EACH | \$1,526.70 |
| 334515 | Geokon | 1150-2-6    | Spring Loaded Head Assembly      | Six (6) measurement point.  | EACH | \$1,732.49 |
| 334515 | Geokon | 1200-1-1-1  | Head Assembly for Model A-4 MPBX | Mechanical readout with one (1) measurement point.                      | EACH | \$357.98   |
| 334515 | Geokon | 1200-1-1-2  | Head Assembly for Model A-4 MPBX | Mechanical readout with two (2) measurement point.                      | EACH | \$366.60   |
| 334515 | Geokon | 1200-1-1-3  | Head Assembly for Model A-4 MPBX | Mechanical readout with three (3) measurement point.                    | EACH | \$375.21   |
| 334515 | Geokon | 1200-1-1-4  | Head Assembly for Model A-4 MPBX | Mechanical readout with four (4) measurement point.                     | EACH | \$383.83   |
| 334515 | Geokon | 1200-1-1-5  | Head Assembly for Model A-4 MPBX | Mechanical readout with five (5) measurement point.                     | EACH | \$392.44   |
| 334515 | Geokon | 1200-1-1-6  | Head Assembly for Model A-4 MPBX | Mechanical readout with six (6) measurement point.                      | EACH | \$401.06   |
| 334515 | Geokon | 1200-1-2-1  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with one (1) measurement point.                  | EACH | \$631.74   |
| 334515 | Geokon | 1200-1-2-2  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with two (2) measurement point.                  | EACH | \$665.24   |
| 334515 | Geokon | 1200-1-2-3  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with three (3) measurement point.                | EACH | \$698.74   |
| 334515 | Geokon | 1200-1-2-4  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with four (4) measurement point.                 | EACH | \$732.24   |
| 334515 | Geokon | 1200-1-2-5  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with five (5) measurement point.                 | EACH | \$765.74   |
| 334515 | Geokon | 1200-1-2-6  | Head Assembly for Model A-4 MPBX | Vibrating wire readout with six (6) measurement point.                  | EACH | \$799.24   |
| 334515 | Geokon | 1200-1-2M-1 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with one (1) measurement point.   | EACH | \$827.96   |
| 334515 | Geokon | 1200-1-2M-2 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with two (2) measurement point.   | EACH | \$861.46   |
| 334515 | Geokon | 1200-1-2M-3 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with three (3) measurement point. | EACH | \$894.96   |
| 334515 | Geokon | 1200-1-2M-4 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with four (4) measurement point.  | EACH | \$928.46   |
| 334515 | Geokon | 1200-1-2M-5 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with five (5) measurement point.  | EACH | \$961.96   |
| 334515 | Geokon | 1200-1-2M-6 | Head Assembly for Model A-4 MPBX | Vibrating wire and mechanical readout with six (6) measurement point.   | EACH | \$995.47   |
| 334515 | Geokon | 1200-1-3-1  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with one (1) measurement point.            | EACH | \$631.74   |
| 334515 | Geokon | 1200-1-3-2  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with two (2) measurement point.            | EACH | \$665.24   |
| 334515 | Geokon | 1200-1-3-3  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with three (3) measurement point.          | EACH | \$698.74   |
| 334515 | Geokon | 1200-1-3-4  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with four (4) measurement point.           | EACH | \$732.24   |
| 334515 | Geokon | 1200-1-3-5  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with five (5) measurement point.           | EACH | \$765.74   |



|        |        |             |                                  |   |      |            |
|--------|--------|-------------|----------------------------------|---|------|------------|
| 334515 | Geokon | 1200-1-3-6  | Head Assembly for Model A-4 MPBX | Linear potentiometer readout with six (6) measurement point.            | EACH | \$799.24   |
| 334515 | Geokon | 1200-1-4-1  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with one (1) measurement point.                      | EACH | \$631.74   |
| 334515 | Geokon | 1200-1-4-2  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with two (2) measurement point.                      | EACH | \$665.24   |
| 334515 | Geokon | 1200-1-4-3  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with three (3) measurement point.                    | EACH | \$698.74   |
| 334515 | Geokon | 1200-1-4-4  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with four (4) measurement point.                     | EACH | \$732.24   |
| 334515 | Geokon | 1200-1-4-5  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with five (5) measurement point.                     | EACH | \$765.74   |
| 334515 | Geokon | 1200-1-4-6  | Head Assembly for Model A-4 MPBX | DC-DC LVDT readout with six (6) measurement point.                      | EACH | \$799.24   |
| 334515 | Geokon | 1250-1-1-1  | Head assembly for Model A-5 MPBX | Mechanical readout with one (1) measurement point.                      | EACH | \$488.16   |
| 334515 | Geokon | 1250-1-1-2  | Head assembly for Model A-5 MPBX | Mechanical readout with two (2) measurement point.                      | EACH | \$497.73   |
| 334515 | Geokon | 1250-1-1-3  | Head assembly for Model A-5 MPBX | Mechanical readout with three (3) measurement point.                    | EACH | \$507.30   |
| 334515 | Geokon | 1250-1-1-4  | Head assembly for Model A-5 MPBX | Mechanical readout with four (4) measurement point.                     | EACH | \$516.88   |
| 334515 | Geokon | 1250-1-1-5  | Head assembly for Model A-5 MPBX | Mechanical readout with five (5) measurement point.                     | EACH | \$526.45   |
| 334515 | Geokon | 1250-1-1-6  | Head assembly for Model A-5 MPBX | Mechanical readout with six (6) measurement point.                      | EACH | \$536.02   |
| 334515 | Geokon | 1250-1-2-1  | Head assembly for Model A-5 MPBX | Vibrating wire readout with one (1) measurement point.                  | EACH | \$828.92   |
| 334515 | Geokon | 1250-1-2-2  | Head assembly for Model A-5 MPBX | Vibrating wire readout with two (2) measurement point.                  | EACH | \$853.80   |
| 334515 | Geokon | 1250-1-2-3  | Head assembly for Model A-5 MPBX | Vibrating wire readout with three (3) measurement point.                | EACH | \$878.69   |
| 334515 | Geokon | 1250-1-2-4  | Head assembly for Model A-5 MPBX | Vibrating wire readout with four (4) measurement point.                 | EACH | \$903.58   |
| 334515 | Geokon | 1250-1-2-5  | Head assembly for Model A-5 MPBX | Vibrating wire readout with five (5) measurement point.                 | EACH | \$928.46   |
| 334515 | Geokon | 1250-1-2-6  | Head assembly for Model A-5 MPBX | Vibrating wire readout with six (6) measurement point.                  | EACH | \$953.35   |
| 334515 | Geokon | 1250-1-2M-1 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with one (1) measurement point.   | EACH | \$1,080.65 |
| 334515 | Geokon | 1250-1-2M-2 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with two (2) measurement point.   | EACH | \$1,122.77 |
| 334515 | Geokon | 1250-1-2M-3 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with three (3) measurement point. | EACH | \$1,164.89 |
| 334515 | Geokon | 1250-1-2M-4 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with four (4) measurement point.  | EACH | \$1,207.00 |
| 334515 | Geokon | 1250-1-2M-5 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with five (5) measurement point.  | EACH | \$1,249.12 |
| 334515 | Geokon | 1250-1-2M-6 | Head assembly for Model A-5 MPBX | Vibrating wire and mechanical readout with six (6) measurement point.   | EACH | \$1,291.23 |
| 334515 | Geokon | 1250-1-3-1  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with one (1) measurement point.            | EACH | \$828.92   |
| 334515 | Geokon | 1250-1-3-2  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with two (2) measurement point.            | EACH | \$853.80   |
| 334515 | Geokon | 1250-1-3-3  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with three (3) measurement point.          | EACH | \$878.69   |
| 334515 | Geokon | 1250-1-3-4  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with four (4) measurement point.           | EACH | \$903.58   |
| 334515 | Geokon | 1250-1-3-5  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with five (5) measurement point.           | EACH | \$928.46   |
| 334515 | Geokon | 1250-1-3-6  | Head assembly for Model A-5 MPBX | Linear potentiometer readout with six (6) measurement point.            | EACH | \$953.35   |
| 334515 | Geokon | 1250-1-4-1  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with one (1) measurement point.                      | EACH | \$828.92   |
| 334515 | Geokon | 1250-1-4-2  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with two (2) measurement point.                      | EACH | \$853.80   |
| 334515 | Geokon | 1250-1-4-3  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with three (3) measurement point.                    | EACH | \$878.69   |
| 334515 | Geokon | 1250-1-4-4  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with four (4) measurement point.                     | EACH | \$903.58   |
| 334515 | Geokon | 1250-1-4-5  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with five (5) measurement point.                     | EACH | \$928.46   |
| 334515 | Geokon | 1250-1-4-6  | Head assembly for Model A-5 MPBX | DC-DC LVDT readout with six (6) measurement point.                      | EACH | \$953.35   |
| 334515 | Geokon | 1280-1-1-1  | Head assembly for Model A-6 MPBX | Mechanical readout with one (1) measurement point.                      | EACH | \$325.44   |
| 334515 | Geokon | 1280-1-1-2  | Head assembly for Model A-       | Mechanical readout with two (2) measurement point.                      | EACH | \$335.01   |



|        |        |              | 6 MPBX                             |  |      |            |
|--------|--------|--------------|------------------------------------|--|------|------------|
| 334515 | Geokon | 1280-1-1-3   | Head assembly for Model A-6 MPBX   | Mechanical readout with three (3) measurement point.   | EACH | \$344.58   |
| 334515 | Geokon | 1280-1-1-4   | Head assembly for Model A-6 MPBX   | Mechanical readout with four (4) measurement point.  | EACH | \$354.16   |
| 334515 | Geokon | 1280-1-1-5   | Head assembly for Model A-6 MPBX   | Mechanical readout with five (5) measurement point.  | EACH | \$363.73   |
| 334515 | Geokon | 1280-1-1-6   | Head assembly for Model A-6 MPBX   | Mechanical readout with six (6) measurement point.   | EACH | \$373.30   |
| 334515 | Geokon | 1280-1-2-1   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with one (1) measurement point.   | EACH | \$663.32   |
| 334515 | Geokon | 1280-1-2-2   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with two (2) measurement point.   | EACH | \$680.55   |
| 334515 | Geokon | 1280-1-2-3   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with three (3) measurement point.   | EACH | \$697.78   |
| 334515 | Geokon | 1280-1-2-4   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with four (4) measurement point.  | EACH | \$715.01   |
| 334515 | Geokon | 1280-1-2-5   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with five (5) measurement point.  | EACH | \$732.24   |
| 334515 | Geokon | 1280-1-2-6   | Head assembly for Model A-6 MPBX   | Vibrating wire readout with six (6) measurement point.   | EACH | \$749.47   |
| 334515 | Geokon | 1280-1-2M-1  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with one (1) measurement point.  | EACH | \$889.22   |
| 334515 | Geokon | 1280-1-2M-2  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with two (2) measurement point.  | EACH | \$931.34   |
| 334515 | Geokon | 1280-1-2M-3  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with three (3) measurement point.  | EACH | \$973.45   |
| 334515 | Geokon | 1280-1-2M-4  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with four (4) measurement point.   | EACH | \$1,015.57 |
| 334515 | Geokon | 1280-1-2M-5  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with five (5) measurement point.   | EACH | \$1,057.68 |
| 334515 | Geokon | 1280-1-2M-6  | Head assembly for Model A-6 MPBX   | Vibrating wire and mechanical readout with six (6) measurement point.  | EACH | \$1,099.80 |
| 334515 | Geokon | 1280-1-3-1   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with one (1) measurement point.   | EACH | \$663.32   |
| 334515 | Geokon | 1280-1-3-2   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with two (2) measurement point.   | EACH | \$680.55   |
| 334515 | Geokon | 1280-1-3-3   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with three (3) measurement point.   | EACH | \$697.78   |
| 334515 | Geokon | 1280-1-3-4   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with four (4) measurement point.  | EACH | \$715.01   |
| 334515 | Geokon | 1280-1-3-5   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with five (5) measurement point.  | EACH | \$732.24   |
| 334515 | Geokon | 1280-1-3-6   | Head assembly for Model A-6 MPBX   | Linear potentiometer readout with six (6) measurement point.   | EACH | \$749.47   |
| 334515 | Geokon | 1280-1-4-1   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with one (1) measurement point.   | EACH | \$663.32   |
| 334515 | Geokon | 1280-1-4-2   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with two (2) measurement point.   | EACH | \$680.55   |
| 334515 | Geokon | 1280-1-4-3   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with three (3) measurement point.   | EACH | \$697.78   |
| 334515 | Geokon | 1280-1-4-4   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with four (4) measurement point.  | EACH | \$715.01   |
| 334515 | Geokon | 1280-1-4-5   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with five (5) measurement point.  | EACH | \$732.24   |
| 334515 | Geokon | 1280-1-4-6   | Head assembly for Model A-6 MPBX   | DC-DC LVDT readout with six (6) measurement point.   | EACH | \$749.47   |
| 334515 | Geokon | 1300-1-05    | Model A-9 Retrievable Extensometer | Model A-9 Retrievable Extensometer - 0.5 inch (12.5 mm) range, complete with Vibrating Wire transducer assembly, sealed stainless steel housing, retrievable anchor and fittings for rods and 1/8 inch nylon tubing. | EACH | \$1,134.26 |
| 334515 | Geokon | 1300-1-10    | Model A-9 Retrievable Extensometer | Model A-9 Retrievable Extensometer - 1.0 inch (25 mm) range, complete with Vibrating Wire transducer assembly, sealed stainless steel housing, retrievable anchor and fittings for rods and 1/8 inch nylon tubing.   | EACH | \$1,134.26 |
| 334515 | Geokon | 1900-11-100E | 100FT Extensometer Probe           | Reed switch probe, with 30 meter measurement tape.   | EACH | \$823.17   |
| 334515 | Geokon | 1900-11-100M | 100M Extensometer Probe            | Reed switch probe, with 30 meter measurement tape.   | EACH | \$1,043.32 |
| 334515 | Geokon | 1900-11-125E | 125FT Extensometer Probe           | Reed switch probe, with 30 meter measurement tape.   | EACH | \$851.89   |
| 334515 | Geokon | 1900-11-150M | 150M Extensometer Probe            | Reed switch probe, with 30 meter measurement tape.   | EACH | \$1,201.26 |
| 334515 | Geokon | 1900-11-200E | 200FT Extensometer Probe           | Reed switch probe, with 30 meter measurement tape.   | EACH | \$923.68   |
| 334515 | Geokon | 1900-11-200M | 200M Extensometer Probe            | Reed switch probe, with 30 meter measurement tape.   | EACH | \$1,340.05 |
| 334515 | Geokon | 1900-11-     | 300FT Extensometer Probe           | Reed switch probe, with 30 meter measurement tape.   | EACH | \$1,019.40 |





|        |        | 300E         |  |  |      |            |
|--------|--------|--------------|--|--|------|------------|
| 334515 | Geokon | 1900-11-30M  | 30M Extensometer Probe   | Reed switch probe, with 30 meter measurement tape.   | EACH | \$823.17   |
| 334515 | Geokon | 1900-11-50M  | 50M Extensometer Probe   | Reed switch probe, with 30 meter measurement tape.   | EACH | \$890.18   |
| 334515 | Geokon | 6000-1E      | Biaxial Inclinometer Probe                                       | Biaxial Inclinometer Probe - In portable stainless steel torpedo style housing with carrying case. English, 24" gage length.   | EACH | \$5,144.84 |
| 334515 | Geokon | 6000-1M      | Biaxial Inclinometer Probe                                       | Biaxial Inclinometer Probe - Portable stainless steel torpedo style housing with carrying case. Metric 0.5m gage length.   | EACH | \$5,144.84 |
| 334515 | Geokon | 6015-1E      | Horizontal Inclinometer Probe                                    | Horizontal Inclinometer Probe - Stainless steel torpedo style housing. 24" gage length, with carrying case.  | EACH | \$8,236.52 |
| 334515 | Geokon | 6015-1M      | Horizontal Inclinometer Probe                                    | Horizontal Inclinometer Probe - Stainless steel torpedo style housing. 0.5m gage length, with carrying case.   | EACH | \$8,236.52 |
| 334515 | Geokon | 6100-1E      | MEMS Biaxial Inclinometer  | MEMS Biaxial Inclinometer - Portable stainless steel torpedo style housing with carrying case. English, 24" gage length.   | EACH | \$3,517.63 |
| 334515 | Geokon | 6100-1M      | MEMS Biaxial Inclinometer  | MEMS Biaxial Inclinometer - Portable stainless steel torpedo style housing with carrying case. Metric 0.5m gage length.  | EACH | \$3,517.63 |
| 334515 | Geokon | 6150-1       | MEMS Uniaxial Vertical In-Place Inclinometer                     | MEMS Uniaxial Vertical In-Place Inclinometer - In stainless steel housing.   | EACH | \$478.59   |
| 334515 | Geokon | 6150-2       | MEMS Biaxial Vertical In-Place Inclinometer                      | MEMS Biaxial Vertical In-Place Inclinometer - In stainless steel housing.  | EACH | \$732.24   |
| 334515 | Geokon | 6150-3       | MEMS Addressable Uniaxial Vertical In-Place Inclinometer         | MEMS Addressable Uniaxial Vertical In-Place Inclinometer - In stainless steel housing, total cable length <1000 ft/300 m.  | EACH | \$636.52   |
| 334515 | Geokon | 6150-4       | MEMS Addressable Biaxial Vertical In-Place Inclinometer          | MEMS Addressable Biaxial Vertical In-Place Inclinometer - In stainless steel housing, total cable length <1000 ft/300 m.   | EACH | \$799.24   |
| 334515 | Geokon | 6150-5       | MEMS Addressable Digital Uniaxial Vertical In-Place Inclinometer | MEMS Addressable Digital Uniaxial Vertical In-Place Inclinometer - In stainless steel housing.   | EACH | \$636.52   |
| 334515 | Geokon | 6150-6       | MEMS Addressable Digital Biaxial Vertical In-Place Inclinometer  | MEMS Addressable Digital Biaxial Vertical In-Place Inclinometer - In stainless steel housing.  | EACH | \$799.24   |
| 334515 | Geokon | 6155-1       | MEMS Uniaxial Horizontal In-Place Inclinometer                   | MEMS Uniaxial Horizontal In-Place Inclinometer - In stainless steel housing.   | EACH | \$483.38   |
| 334515 | Geokon | 6155-2       | MEMS Biaxial Horizontal In-Place Inclinometer                    | MEMS Biaxial Horizontal In-Place Inclinometer - In stainless steel housing.  | EACH | \$756.17   |
| 334515 | Geokon | 6155-3       | MEMS Addressable Uniaxial Horizontal In-Place Inclinometer       | MEMS Addressable Uniaxial Horizontal In-Place Inclinometer - In stainless steel housing, total cable length <1000 ft/300 m.  | EACH | \$531.23   |
| 334515 | Geokon | 6155-4       | MEMS Addressable Biaxial Horizontal In-Place inclinometer        | MEMS Addressable Biaxial Horizontal In-Place inclinometer - In stainless steel housing, total cable length <1000 ft/300 m.   | EACH | \$837.53   |
| 334515 | Geokon | 6300-1       | VW Uniaxial Inclinometer   | VW Uniaxial Inclinometer - In stainless steel housing with mounting hardware.  | EACH | \$641.31   |
|        |        |              | (Requires INC-6300-10 Installation Kit).                         | (Requires INC-6300-10 Installation Kit).   |      |            |
| 334515 | Geokon | 6300-2       | VW Biaxial Inclinometer  | VW Biaxial Inclinometer - In stainless steel housing with mounting hardware.   | EACH | \$641.31   |
|        |        |              | (Requires INC-6300-10 Installation Kit).                         | (Requires INC-6300-10 Installation Kit).   |      |            |
| 334515 | BDI    | INTEL-EXT    | Intelliducer Sensor Extension Cable                              | STS sensor cable extension, includes an INTEL-MATE connector on one end and an INTEL-IC connector on the other end. Cable sold as separate line item.  | EACH | \$167.76   |
| 334515 | BDI    | INTEL-MATE   | Intelliducer Mating Connector                                    | Receives STS Intelliducer sensor connector. Generally used when connecting a sensor to another data acquisition system. Sealed and potted. Cable sold as separate line item.                                     | EACH | \$42.62    |
| 334515 | BDI    | STS-INTEL-CC | Current Sensor Output Converter                                  | For use with 4-20mA output sensors. Includes an integrated 100-Ohm resistor to convert the signal into 0.4-2.0 VDC.  | EACH | \$167.76   |
| 334515 | BDI    | STS-INTEL-T  | Universal Terminal Connector                                     | Integrated push-button terminal inputs for a variety of different voltage output sensors for STS Data Acquisition Devices. Potted back shell.  | EACH | \$167.76   |
| 334515 | BDI    | STS-INTEL-VR | Sensor Voltage Regulator   | For sensors that are outside of the STS-WiFi or STS4 Node input/output range. User must specify the sensor excitation voltage and output voltage and the adapter will be specifically configured to that sensor. | EACH | \$194.96   |
| 334515 | Geokon | 4000         | VW Strain Gage   | Standard 6 in (152mm) gage length, strain gage only.   | EACH | \$69.87    |
| 334515 | Geokon | 4000-01      | VW Strain Gage Plucking Coil                                     | For use with standard 6 in (152mm) gage length, Plucking coil only. Cable sold as separate line item.  | EACH | \$68.92    |
| 334515 | Geokon | 4000A-2      | VW Surface Mount Strain Gage                                     | Vibrating Wire surface mounted strain gage, come with plucking coil, integral thermistor and hose clamp. Standard 6 in (152mm) gage length. Cable sold as separate line item.                                    | EACH | \$130.18   |
| 334515 | Geokon | 4100         | VW Spot Weldable Strain Gage Only                                | Standard 2 in (51mm) gage length, strain gage only.  | EACH | \$60.30    |
| 334515 | Geokon | 4100-1       | VW Spot Weldable Plucking Coil                                   | Plucking coil, with thermistor and mounting straps. Cable sold as separate line item.  | EACH | \$70.83    |
| 334515 | Geokon | 4100A-1      | VW Spot Weldable Strain Gage                                     | Vibrating Wire spot weldable strain gage, come with plucking coil, integral thermistor and pre mounted on weldable shims. Standard   | EACH | \$130.18   |



|        |        |               |  |  |      |          |
|--------|--------|---------------|--|--|------|----------|
|        |        |               |  | 2 in (51mm) gage length. Cable sold as separate line item.   |      |          |
| 334515 | Geokon | 4150          | VW Low Profile Spot Weldable Strain Gage | Vibrating Wire spot weldable strain gage, 3,000 microstrain range, with spot-weldable shims, integral plucking coil, cover plate and thermistor. Cable sold as separate line item.   | EACH | \$130.18 |
| 334515 | Geokon | 4150-4        | VW Low Profile Spot Weldable Strain Gage | Vibrating Wire spot weldable strain gage, 5,000 microstrain range, with spot-weldable shims, integral plucking coil, cover plate and thermistor. Cable sold as separate line item  | EACH | \$175.16 |
| 334515 | Geokon | 4150-5        | VW Low Profile Spot Weldable Strain Gage | Vibrating Wire spot weldable strain gage, 10,000 microstrain range, with spot-weldable shims, integral plucking coil, cover plate and thermistor. Cable sold as separate line item.  | EACH | \$175.16 |
| 334515 | Geokon | 4200          | VW Strain Gage                           | Standard 6 in (152mm) gage length, strain gage only.   | EACH | \$73.70  |
| 334515 | Geokon | 4200-01       | VW Concrete Embedment Strain Gage        | Vibrating Wire surface concrete embedment strain gage, come with plucking coil, integral thermistor and hose clamp. Standard 6 in (152mm) gage length. Cable sold as separate line item.   | EACH | \$120.60 |
| 334515 | Geokon | 4200-03       | VW Strain Gage Plucking Coil             | Standard 6 in (152mm) gage length, Plucking coil only. Cable sold as separate line item.   | EACH | \$68.92  |
| 334515 | Geokon | 4500AL-010    | 10 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing, sintered stainless steel filter stone, thermistor, 1" Ø, unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$507.30 |
| 334515 | Geokon | 4500AL-025    | 25 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing, sintered stainless steel filter stone, thermistor, 1" Ø, unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$507.30 |
| 334515 | Geokon | 4500ALV-010   | 10 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing with sintered stainless steel filter stone, thermistor, 1" Ø, vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required.   | EACH | \$569.52 |
| 334515 | Geokon | 4500ALV-025   | 25 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing with sintered stainless steel filter stone, thermistor, 1" Ø, vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required.   | EACH | \$569.52 |
| 334515 | Geokon | 4500ALV-3-010 | 10 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in 316 stainless steel housing with sintered stainless steel filter stone, thermistor, 1" Ø, vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required.   | EACH | \$670.03 |
| 334515 | Geokon | 4500ALV-3-025 | 25 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in 316 stainless steel housing with sintered stainless steel filter stone, thermistor, 1" Ø, vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required.   | EACH | \$670.03 |
| 334515 | Geokon | 4500B-050     | 50 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$440.30 |
| 334515 | Geokon | 4500B-100     | 100 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$440.30 |
| 334515 | Geokon | 4500B-150     | 150 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$440.30 |
| 334515 | Geokon | 4500B-300     | 300 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$440.30 |
| 334515 | Geokon | 4500B-500     | 500 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), unvented. Cable sold as separate line item, IC-02-250 required.   | EACH | \$440.30 |
| 334515 | Geokon | 4500BV-050    | 50 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required. | EACH | \$483.38 |
| 334515 | Geokon | 4500BV-100    | 100 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required. | EACH | \$483.38 |
| 334515 | Geokon | 4500BV-300    | 300 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with 50 micron sintered stainless steel filter stone, thermistor, 11/16" Ø (for 0.75" SCH 80 PVC standpipes), vented, with desiccant capsule filled moisture trap for vent line. Cable sold as separate line item, IC-02V-335 required. | EACH | \$483.38 |
| 334515 | Geokon | 4500C-050     | 50 psi Vibrating Wire Piezometer         | Vibrating Wire Piezometer in stainless steel housing with sintered stainless steel filter stone, thermistor, 7/16" Ø, unvented. Cable sold as separate line item, IC-02-250 required.  | EACH | \$545.59 |
| 334515 | Geokon | 4500C-100     | 100 psi Vibrating Wire Piezometer        | Vibrating Wire Piezometer in stainless steel housing with sintered stainless steel filter stone, thermistor, 7/16" Ø, unvented. Cable  | EACH | \$545.59 |



[illegible]



|        |                  |            |                                       |  |      |          |
|--------|------------------|------------|---------------------------------------|--|------|----------|
| 334515 | Geokon           | 4800-2-010 | 10 psi Earth Pressure Cell            | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$603.02 |
| 334515 | Geokon           | 4800-2-025 | 25 psi Earth Pressure Cell            | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$603.02 |
| 334515 | Geokon           | 4800-2-050 | 50 psi Earth Pressure Cell            | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-100 | 100 psi Earth Pressure Cell           | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-150 | 150 psi Earth Pressure Cell           | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-1k  | 1000 psi Earth Pressure Cell          | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-300 | 300 psi Earth Pressure Cell           | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-3k  | 3000 psi Earth Pressure Cell          | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4800-2-500 | 500 psi Earth Pressure Cell           | Vibrating Wire Earth Pressure Cell, rectangular, 6" x 10" (150 x 250 mm), hydraulic oil filled, with thermistor, in stainless steel housing. Cable sold as separate line item.   | EACH | \$545.59 |
| 334515 | Geokon           | 4910-1     | Reading Probe                         | For Model 4910 Strain Gaged Rockbolt, 6' probe length with 5' cable.   | EACH | \$330.23 |
| 334515 | Geokon           | 4911-04    | VW #4 Rebar Strainmeter               | The standard Model 4911 (#4 rebar), known as the "Sister Bar," is installed alongside structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.  | EACH | \$330.23 |
| 334515 | Geokon           | 4911A-06   | VW #6 Rebar Strainmeter               | The larger rebar size (#6 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.  | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-07   | VW #7 Rebar Strainmeter               | The larger rebar size (#7 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.  | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-08   | VW #8 Rebar Strainmeter               | The larger rebar size (#8 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.  | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-09   | VW #9 Rebar Strainmeter               | The larger rebar size (#9 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.  | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-10   | VW #10 Rebar Strainmeter              | The larger rebar size (#10 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.   | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-11   | VW #11 Rebar Strainmeter              | The larger rebar size (#11 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.   | EACH | \$402.02 |
| 334515 | Geokon           | 4911A-14   | VW #14 Rebar Strainmeter              | The larger rebar size (#14 rebar) Model 4911A is available for welding directly into structural rebar. Standard range of 2,500 micro strain, active gage length of 36in (914mm). Cable sold as separate line item.   | EACH | \$402.02 |
| 334515 | Geokon           | 6350-01    | VW In-Place Uni-Axial Tiltmeter       | Vibrating Wire Tiltmeter is designed for attachment to structures, on either a vertical or horizontal surface by means of an adjustable bracket, and for the subsequent measurement of any tilting that may occur. Standard range of $\pm 10^\circ$ , resolution +8 arc seconds, comes with integrated thermistor. Cable sold as separate line item. | EACH | \$507.30 |
| 334515 | BDI              | HB1000     | 1000-Ohm, Half-Bridge Completion Unit | Machined aluminum housing with M8 input connector for 3-wire half bridge hook-up. Comes with one 3ft (0.9m) 3-wire lead cable and potted connector. Cable sold as separate line item.  | EACH | \$330.23 |
| 334515 | BDI              | HB120      | 120-Ohm, Half-Bridge Completion Unit  | Machined aluminum housing with M8 input connector for 3-wire half bridge hook-up. Comes with one 3ft (0.9m) 3-wire lead cable and potted connector. Cable sold as separate line item.  | EACH | \$282.37 |
| 334515 | BDI              | HB350      | 350-Ohm, Half-Bridge Completion Unit  | Machined aluminum housing with M8 input connector for 3-wire half bridge hook-up. Comes with one 3ft (0.9m) 3-wire lead cable and potted connector. Cable sold as separate line item.  | EACH | \$301.51 |
| 334515 | RDP Electrosense | RLU10000   | 22 Kip Tension/Compression Load Cell  | $\pm 22$ kip ( $\pm 100$ kN) combination Tension and Compression Load Cell. 350 $\Omega$ fully active Wheatstone bridge type. Cable sold as separate line item.  | EACH | \$780.10 |



|        |                     |                    |   |  |      |            |
|--------|---------------------|--------------------|---|--|------|------------|
| 334515 | RDP<br>Electrosense | LDC500A            | ±0.5 Inch Linear Variable<br>Differential Transformer | Displacement transducer, spring return version. Comes with plastic mounts and 6ft (2m) of lead wire. Additional cable sold as separate line item.  | EACH | \$698.74   |
| 334515 | RDP<br>Electrosense | LDC1000A           | ±1.0 Inch Linear Variable<br>Differential Transformer | Displacement transducer, spring return version. Comes with plastic mounts and 6ft (2m) of lead wire. Additional cable sold as separate line item.  | EACH | \$751.39   |
| 334515 | RDP<br>Electrosense | LDC2000A           | ±2.0 Inch Linear Variable<br>Differential Transformer | Displacement transducer, spring return version. Comes with plastic mounts and 6ft (2m) of lead wire. Additional cable sold as separate line item.  | EACH | \$804.03   |
| 334515 | RDP<br>Electrosense | LDC3000A           | ±3.0 Inch Linear Variable<br>Differential Transformer | Displacement transducer, spring return version. Comes with plastic mounts and 6ft (2m) of lead wire. Additional cable sold as separate line item.  | EACH | \$847.10   |
| 334515 | BDI                 | QA1000             | Completion Unit                                       | 1000-Ohm, Quarter-Arm Completion Unit  | EACH | \$330.23   |
| 334515 | BDI                 | QA120              | Completion Unit                                       | 120-Ohm, Quarter-Arm Completion Unit   | EACH | \$282.37   |
| 334515 | BDI                 | QA350              | Completion Unit                                       | 350-Ohm, Quarter-Arm Completion Unit   | EACH | \$301.51   |
| 334515 | BDI                 | ST350              | Strain Transducer                                     | Machined aluminum, 3-inch (76.2mm) gage length strain transducer with 350Q fully-active Wheatstone bridge. Sensor is completely potted and weatherproof, add Instrumentation Cable and Connectors as needed. Cable sold as separate line item. | EACH | \$412.59   |
| 334515 | BDI                 | T420-<br>X005-Y005 | ±0.5 Degree Biaxial Tiltmeter                         | Sealed and potted in a die cast aluminum housing with fixed mounting flanges. Cable sold as separate line item.  | EACH | \$1,048.11 |
| 334515 | BDI                 | T420-<br>X030-Y030 | ±3.0 Degree Biaxial Tiltmeter                         | Sealed and potted in a machined aluminum housing with integrated angle adjustment. Cable sold as separate line item.   | EACH | \$1,048.11 |
| 334515 | BDI                 | T420-<br>X100-Y100 | ±10 Degree Biaxial Tiltmeter                          | Sealed and potted in a machined aluminum housing with integrated angle adjustment. Cable sold as separate line item.   | EACH | \$1,013.65 |
| 334515 | BDI                 | T420-<br>X600-Y600 | ±60 Degree Biaxial Tiltmeter                          | Sealed and potted in a machined aluminum housing with integrated angle adjustment. Cable sold as separate line item.   | EACH | \$1,048.11 |
| 334515 | Geokon              | 4435-1-<br>010     | 1 Inch Vibrating Wire Soil<br>Extensometers           | 1 Inch Vibrating Wire Soil Extensometers - Complete with telescoping joints, flanged ends, integral plucking coil and thermistor (minimum gage length = 1 m). Add \$4.00/' or \$13.10/m for lengths greater than 24".                          | EACH | \$703.53   |
| 334515 | Geokon              | 4435-1-<br>020     | 2 Inch Vibrating Wire Soil<br>Extensometers           | 2 Inch Vibrating Wire Soil Extensometers - Complete with telescoping joints, flanged ends, integral plucking coil and thermistor (minimum gage length = 1 m). Add \$4.00/' or \$13.10/m for lengths greater than 24".                          | EACH | \$703.53   |
| 334515 | Geokon              | 4435-1-<br>040     | 4 Inch Vibrating Wire Soil<br>Extensometers           | 4 Inch Vibrating Wire Soil Extensometers - Complete with telescoping joints, flanged ends, integral plucking coil and thermistor (minimum gage length = 1 m). Add \$4.00/' or \$13.10/m for lengths greater than 24".                          | EACH | \$770.53   |
| 334515 | Geokon              | 4435-2-<br>060     | 6 Inch Vibrating Wire Soil<br>Extensometers           | 6 Inch Vibrating Wire Soil Extensometers - Complete with telescoping joints, flanged ends, integral plucking coil and thermistor (minimum gage length = 1 m). Add \$4.50/' , \$14.75/m for lengths greater than 24".                           | EACH | \$784.89   |
| 334515 | Geokon              | 4435-2-<br>120     | 12 Inch Vibrating Wire Soil<br>Extensometers          | 12 Inch Vibrating Wire Soil Extensometers - Complete with telescoping joints, flanged ends, integral plucking coil and thermistor (minimum gage length = 1 m). Add \$4.50/' , \$14.75/m for lengths greater than 24".                          | EACH | \$784.89   |
| 334515 | BDI                 | TS-EM              | Embedment Thermistor                                  | NTC Type thermistor, epoxy potted in a PVC housing for material embedment. Range: -55°C to +220°C. Cable sold as separate line item.   | EACH | \$81.36    |
| 334515 | BDI                 | TS-SM              | Surface Mount Thermistor                              | NTC Type thermistor, epoxy potted for surface mounting. Range: -55°C to +220°C. Cable sold as separate line item.  | EACH | \$62.22    |
| 334515 | BDI                 | BA1512-<br>002     | ±2g Biaxial Accelerometer                             | Rugged capacitive sense type, biaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-03-250 required.  | EACH | \$933.25   |
| 334515 | BDI                 | BA1512-<br>005     | ±5g Biaxial Accelerometer                             | Rugged capacitive sense type, biaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-03-250 required.  | EACH | \$933.25   |
| 334515 | BDI                 | BA1512-<br>010     | ±10g Biaxial Accelerometer                            | Rugged capacitive sense type, biaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-03-250 required.  | EACH | \$933.25   |
| 334515 | BDI                 | BA1512-<br>025     | ±25g Biaxial Accelerometer                            | Rugged capacitive sense type, biaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-03-250 required.  | EACH | \$933.25   |
| 334515 | BDI                 | BA1512-<br>050     | ±50g Biaxial Accelerometer                            | Rugged capacitive sense type, biaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-03-250 required.  | EACH | \$933.25   |
| 334515 | BDI                 | TA1512-<br>002     | ±2g Triaxial Accelerometer                            | Rugged capacitive sense type, triaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-04-375 required.   | EACH | \$1,325.69 |
| 334515 | BDI                 | TA1512-<br>005     | ±5g Triaxial Accelerometer                            | Rugged capacitive sense type, triaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-04-375 required.   | EACH | \$1,325.69 |
| 334515 | BDI                 | TA1512-<br>010     | ±10g Triaxial Accelerometer                           | Rugged capacitive sense type, triaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-04-375 required.   | EACH | \$1,325.69 |
| 334515 | BDI                 | TA1512-<br>025     | ±25g Triaxial Accelerometer                           | Rugged capacitive sense type, triaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-04-375 required.   | EACH | \$1,325.69 |



|           |        |            |   |   |          |            |
|-----------|--------|------------|---|---|----------|------------|
| 334515    | BDI    | TA1512-050 | ±50g Triaxial Accelerometer             | Rugged capacitive sense type, triaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-04-375 required.  | EACH     | \$1,325.69 |
| 334515    | BDI    | UA1512-002 | ±2g Uniaxial Accelerometer              | Rugged capacitive sense type, uniaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-02-187 required.  | EACH     | \$502.52   |
| 334515    | BDI    | UA1512-005 | ±5g Uniaxial Accelerometer              | Rugged capacitive sense type, uniaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-02-187 required.  | EACH     | \$502.52   |
| 334515    | BDI    | UA1512-010 | ±10g Uniaxial Accelerometer             | Rugged capacitive sense type, uniaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-02-187 required.  | EACH     | \$502.52   |
| 334515    | BDI    | UA1512-025 | ±25g Uniaxial Accelerometer             | Rugged capacitive sense type, uniaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-02-187 required.  | EACH     | \$502.52   |
| 334515    | BDI    | UA1512-050 | ±50g Uniaxial Accelerometer             | Rugged capacitive sense type, uniaxial accelerometer. Machined aluminum housing, bolt mount. Completely potted and weatherproof. Cable sold as separate line item, IC-02-187 required.  | EACH     | \$502.52   |
| 334515    | BDI    | ASA-01     | Analog Sensor Amplifier                 | Input voltage range of +12 to +24 VDC, sensors excitation range options of +1, +2.5, and +5 VDC with four amplification (gain) settings (1, 10, 100, 1000) plus a variable potentiometer. Also includes an integrated 60.4kΩ shunt resistor. Housed in a Nema 4X enclosure with three integrated cable hubbles. Cable sold as separate line item. | EACH     | \$177.08   |
| ANCILLARY | BDI    | JIG-ST-01  | Transducer Tab Jig                      | Allows easy and safe attachment of tabs to transducer.  | EACH     | \$105.29   |
| ANCILLARY | BDI    | SPC-AI-04  | Triaxial Accelerometer Protective Cover | For Three Accelerometer and Triaxial Mounting Block   | EACH     | \$100.50   |
| ANCILLARY | BDI    | SPC-AI-07  | Protective Cover                        | For a Single Quarter Arm Completion Unit  | EACH     | \$90.93    |
| ANCILLARY | BDI    | MNT-CBL-01 | Cable Mounting Bracket                  | Aluminum and Velcro bracket used to quickly attach accelerometer to cables for cable vibration testing.   | EACH     | \$65.09    |
| ANCILLARY | BDI    | CC-01-AA   | IP67 CAT 5 Cable Assembly               | Industrial shielded CAT5e Ethernet cable with IP67 RJ45 connectors on both ends. Supports PoE (IEEE 802.3af). Maximum length of 300ft (100m) per cable.   | ASSEMBLY | \$71.79    |
| ANCILLARY | BDI    | CC-01-AR   | Standard/IP67 CAT 5 Cable Assembly      | Custom Ethernet Cable Assembly w/PoE  | ASSEMBLY | \$52.64    |
| ANCILLARY | BDI    | CC-01-RR   | Standard CAT 5 Cable Assembly           | Custom Ethernet Cable Assembly w/PoE  | ASSEMBLY | \$52.64    |
| ANCILLARY | BDI    | DIC-01     | Digital Input Connector                 | Mil-Spec connector for digital sensor input.  | EACH     | \$67.00    |
| ANCILLARY | Geokon | 062G       | Aircraft Cable                          | Galvanized aircraft cable, 1/16 Inch.   | FOOT     | \$0.43     |
| ANCILLARY | Geokon | 1050-30    | Installation Tools                      | For the single position A-1 extensometer. Comes complete in tool box.   | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1050-35    | Installation Tools                      | For the single position A-1A/B extensometer. Comes complete in tool box.  | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1050-5-1   | Expansion Type Rock Anchor              | For the A-1 extensometer. BoreholeØ1 3/8" to 1 5/8" (35-40mm).  | EACH     | \$17.23    |
| ANCILLARY | Geokon | 1050-5-2   | Expansion Type Rock Anchor              | For the A-1 extensometer. BoreholeØ>1 3/4" (>40mm).   | EACH     | \$49.77    |
| ANCILLARY | Geokon | 1050-6-1   | Expansion Type Roof Level Rock Anchor   | For the A-1 extensometer. BoreholeØ1 3/8" to 1 5/8" (35-40mm).  | EACH     | \$49.77    |
| ANCILLARY | Geokon | 1050-6-2   | Expansion Type Roof Level Rock Anchor   | For the A-1 extensometer. BoreholeØ>1 3/4" (>40mm).   | EACH     | \$67.00    |
| ANCILLARY | Geokon | 1050-7     | Head Extension Kit                      | For A-1 extensometer for extension through shotcrete.   | EACH     | \$129.22   |
| ANCILLARY | Geokon | 1150-10    | PVC Standpipe                           | 5 FT (1.5 m) long, 3 Inch (76 mm) Ø with flange.  | EACH     | \$124.43   |
| ANCILLARY | Geokon | 1150-10A   | PVC Standpipe                           | 5 FT (1.5 m) long, 3 Inch (76 mm) Ø coupling.   | EACH     | \$124.43   |
| ANCILLARY | Geokon | 1150-11    | Galvanized Steel Standpipe              | 5 FT (1.5 m) long, 3 Inch (76 mm) Ø with flange.  | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1150-13    | Groutable Borehole Anchor               | With bayonet attachment.  | EACH     | \$100.50   |
| ANCILLARY | Geokon | 1150-30    | Tool Kit                                | Set of installation tools, in tool box.   | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1150-31    | Tool Kit                                | Set of additional installation tools, in tool box, for extensometers with electrical transducer heads.  | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1150-32    | Tool Kit                                | Set of installation tools, in tool box, for extensometers with vibrating wire transducer heads and mechanical readout.  | EACH     | \$191.44   |
| ANCILLARY | Geokon | 1150-35    | Tool Kit                                | Set of grouting accessories for inclined downwards installations.   | EACH     | \$61.26    |
| ANCILLARY | Geokon | 1150-36    | Tool Kit                                | Set of grouting accessories for overhead/upward installations. Note: One set may be required per overhead extensometer.   | EACH     | \$71.79    |
| ANCILLARY | Geokon | 1150-37    | Tool Kit                                | Extension setting rods for installation. Note: One rod required per point until grout sets, multiple rods required if more than one head is to be installed at the same time. May be removed and reused for   | EACH     | \$19.14    |



|               |        |          |   |  |      |            |
|---------------|--------|----------|---|--|------|------------|
|               |        |          |   | future installations after grout has set.  |      |            |
| ANCILLA<br>RY | Geokon | 1200-15  | Delrin Anchor   | Snap-ring type borehole anchor, 2" - 3" borehole size.   | EACH | \$78.49    |
| ANCILLA<br>RY | Geokon | 1200-15A | Delrin Anchor   | Snap-ring type borehole anchor, 3" - 6" borehole size.   | EACH | \$110.08   |
| ANCILLA<br>RY | Geokon | 1200-16  | Replacement (oversize)<br>snap-rings  | Replacement (oversize) snap-rings for snap-ring anchors. Specify<br>borehole size.   | EACH | \$17.23    |
| ANCILLA<br>RY | Geokon | 1200-17  | Rod spacers with snap-rings.  | Rod spacers with snap-rings.   | EACH | \$78.49    |
| ANCILLA<br>RY | Geokon | 1200-18  | Stainless steel snap-ring type<br>borehole anchor                           | Stainless steel snap-ring type borehole anchor (for temperature up<br>to 200C). Specify borehole size.                                   | EACH | \$172.29   |
| ANCILLA<br>RY | Geokon | 1200-30  | Tool Kit  | Tool Kit - Set of installation tools, in tool box, for boreholes up to 2<br>Inch (50mm). Specify length of pull cable.                   | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1200-35  | Tool Kit  | Tool Kit - Self-aligning installation rods for boreholes over 2 Inch<br>(50mm), per 6 FT length.   | EACH | \$138.79   |
| ANCILLA<br>RY | Geokon | 1200-36  | Tool Kit  | Tool Kit - Non-aligning installation rods for boreholes over 2 Inch<br>(50mm), per 6 FT length.  | EACH | \$39.24    |
| ANCILLA<br>RY | Geokon | 1250-10  | PVC Standpipe   | PVC Standpipe - 5 FT (1.5 m) long, 3 Inch (76 mm) Ø with flange.   | EACH | \$124.43   |
| ANCILLA<br>RY | Geokon | 1250-11  | Galvanized Steel Standpipe  | Galvanized Steel Standpipe - 5 FT (1.5 m) long, 3 Inch (76 mm) Ø<br>with flange.   | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1250-11A | Galvanized Steel Standpipe  | Galvanized Steel Standpipe - 5 FT (1.5 m) long, 3.5 to 5 Inch (89 to<br>127 mm) Ø with flange.   | EACH | \$215.37   |
| ANCILLA<br>RY | Geokon | 1250-15  | Hydraulic Bladder Borehole<br>Anchor  | Hydraulic Bladder Borehole Anchor - With check valve and oil-filled<br>tubing. Specify TUB-107, borehole size, and length required.      | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1250-16  | Hydraulic Borros type<br>borehole anchor                                    | Hydraulic Borros type borehole anchor - Single action. Specify TUB-<br>108 and length required (not attached).                           | EACH | \$205.79   |
| ANCILLA<br>RY | Geokon | 1250-17  | Hydraulic Borros type<br>borehole anchor                                    | Hydraulic Borros type borehole anchor - Double action. Specify<br>TUB-108 and length required (not attached).                            | EACH | \$287.15   |
| ANCILLA<br>RY | Geokon | 1250-18  | Hydraulic pump and hose   | Hydraulic pump and hose with quick connect for inflating hydraulic<br>anchors.   | EACH | \$521.66   |
| ANCILLA<br>RY | Geokon | 1250-30  | Tool Kit  | Tool Kit - Set of installation tools, in tool box.   | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1250-31  | Tool Kit  | Tool Kit - Set of installation tools, in tool box, for extensometers<br>with electrical transducer heads.                                | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1250-35  | Tool Kit  | Tool Kit - Set of grouting accessories for inclined downwards<br>installations.  | EACH | \$61.26    |
| ANCILLA<br>RY | Geokon | 1250-36  | Tool Kit  | Tool Kit - Set of grouting accessories for overhead/upward<br>installations. Note: One set may be required per overhead<br>extensometer. | EACH | \$71.79    |
| ANCILLA<br>RY | Geokon | 1280-10  | PVC Standpipe   | PVC Standpipe - 5 FT (1.5 m) long, 3 Inch (76 mm) Ø with flange.   | EACH | \$124.43   |
| ANCILLA<br>RY | Geokon | 1280-14  | Groutable Anchor  | Groutable Anchor   | EACH | \$39.24    |
| ANCILLA<br>RY | Geokon | 1280-30  | Tool Kit  | Tool Kit - Set of installation tools, in tool box.   | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1280-31  | Tool Kit  | Tool Kit - Set of installation tools, in tool box, for extensometers<br>with electrical transducer heads.                                | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1280-35  | Tool Kit  | Tool Kit - Set of grouting accessories for inclined downwards<br>installations.  | EACH | \$61.26    |
| ANCILLA<br>RY | Geokon | 1280-36  | Tool Kit  | Tool Kit - Set of grouting accessories for overhead/upward<br>installations. Note: One set may be required per overhead<br>extensometer. | EACH | \$71.79    |
| ANCILLA<br>RY | Geokon | 1300-2   | Bottom Anchor   | Bottom Anchor - With fittings for rod and 1/8" nylon tubing.   | EACH | \$579.09   |
| ANCILLA<br>RY | Geokon | 1300-3   | Manifold in pelican case with<br>check valves and fittings, 9<br>channels.  | Manifold in pelican case with check valves and fittings, 9 channels.   | EACH | \$1,660.71 |
| ANCILLA<br>RY | Geokon | 1300-3-1 | Manifold in pelican case with<br>check valves and fittings, 10<br>channels. | Manifold in pelican case with check valves and fittings, 10<br>channels.   | EACH | \$1,761.21 |
| ANCILLA<br>RY | Geokon | 1300-4   | CO2 regulator   | CO2 regulator, with adapter, for A-9 Manifold.   | EACH | \$287.15   |
| ANCILLA<br>RY | Geokon | 1300-5   | Tool Kit  | Tool Kit - Set of installation tools, in tool box, includes box<br>wrenches for rod and fittings, (1) 1/2", (1) 7/16", (1) 9/16"         | EACH | \$191.44   |
| ANCILLA<br>RY | Geokon | 1900-01  | Flush Coupled Access Tube   | 1" SCH 80 PVC, 10' / 3 m lengths standard. Specify lengths required<br>in line item notes.   | FOOT | \$5.03     |
| ANCILLA<br>RY | Geokon | 1900-02  | Telescoping Coupling  | Overall length: 1 m (allows for 0.54 m of compression).  | EACH | \$111.03   |
| ANCILLA<br>RY | Geokon | 1900-04  | End Cap   | Access tube bottom end cap.  | EACH | \$6.46     |
| ANCILLA<br>RY | Geokon | 1900-05A | Datum Ring Magnet   | 1.0 Inch PVC pipe.   | EACH | \$26.80    |
| ANCILLA<br>RY | Geokon | 1900-05B | Datum Ring Magnet   | 2.75 Inch Glue & Snap casing.  | EACH | \$33.50    |
| ANCILLA<br>RY | Geokon | 1900-05C | Datum Ring Magnet   | 3.34 Inch Glue & Snap casing.  | EACH | \$44.03    |



|               |        |           |   |  |      |            |
|---------------|--------|-----------|---|--|------|------------|
| ANCILLA<br>RY | Geokon | 1900-07A  | Spider Magnet                               | Double-ended for 1.0 Inch PVC pipe.  | EACH | \$57.43    |
| ANCILLA<br>RY | Geokon | 1900-07B  | Spider Magnet                               | Double-ended for 2.75 Inch Inclinator casing.  | EACH | \$71.79    |
| ANCILLA<br>RY | Geokon | 1900-07C  | Spider Magnet                               | Double-ended for 23.34 Inch Inclinator casing.   | EACH | \$80.40    |
| ANCILLA<br>RY | Geokon | 1900-10   | Top Cap                                     | Access tube top cap.   | EACH | \$35.42    |
| ANCILLA<br>RY | Geokon | ROD-101   | Flush coupled 1/4 inch stainless steel rod. | Flush coupled 1/4 inch stainless steel rod.  | EACH | \$2.84     |
| ANCILLA<br>RY | Geokon | ROD-102   | Flush coupled 1/4 inch invar rod.           | Flush coupled 1/4 inch invar rod.  | EACH | \$12.34    |
| ANCILLA<br>RY | Geokon | ROD-103   | Swagelok coupled 1/4 inch graphite rod.     | Swagelok coupled 1/4 inch graphite rod.  | EACH | \$7.53     |
| ANCILLA<br>RY | Geokon | ROD-104   | Continuous 1/4 inch fiberglass rod.         | Continuous 1/4 inch fiberglass rod.  | EACH | \$2.50     |
| ANCILLA<br>RY | Geokon | ROD-105   | Flush coupled 1/4 inch 1018 mild steel rod. | Flush coupled 1/4 inch 1018 mild steel rod.  | EACH | \$2.46     |
| ANCILLA<br>RY | Geokon | SWG-101   | Extra 1/8" ferrules                         | Extra 1/8" ferrules  | EACH | \$1.58     |
| ANCILLA<br>RY | Geokon | SWG-178   | Extra SS ferrules.                          | Extra SS ferrules.   | EACH | \$4.06     |
| ANCILLA<br>RY | Geokon | SWG-235   | Extra 1/4 inch unions.                      | Extra 1/4 inch unions.   | EACH | \$22.33    |
| ANCILLA<br>RY | Geokon | TUB-101   | SCH 40 PVC Tube.                            | SCH 40 PVC Tube.   | EACH | \$1.96     |
| ANCILLA<br>RY | Geokon | TUB-102   | 1/2 inch Teflon Tubing.                     | 1/2 inch Teflon Tubing.  | EACH | \$13.60    |
| ANCILLA<br>RY | Geokon | TUB-103   | 1/2 inch Polyethylene Tubing                | For 1/4 inch fiberglass rod for anchor depths less than 30 m.  | EACH | \$0.74     |
| ANCILLA<br>RY | Geokon | TUB-104   | 3/4 inch Grout Tube.                        | 3/4 inch Grout Tube.   | EACH | \$0.74     |
| ANCILLA<br>RY | Geokon | TUB-105   | 1/4 inch Polyethylene Vent Tube.            | 1/4 inch Polyethylene Vent Tube.   | EACH | \$0.40     |
| ANCILLA<br>RY | Geokon | TUB-107   | 1/8 inch Nylon Pressure Tube.               | 1/8 inch Nylon Pressure Tube.  | EACH | \$0.30     |
| ANCILLA<br>RY | Geokon | TUB-108   | 3/16 inch Nylon Pressure Tube               | 3/16 inch Nylon Pressure Tube  | EACH | \$0.29     |
| ANCILLA<br>RY | Geokon | TUB-109   | 1/2 inch Nylon Tubing                       | For 1/4 inch fiberglass rod for anchor depths greater than 30 m.   | EACH | \$1.93     |
| ANCILLA<br>RY | Geokon | TUB-110   | 1 inch Polyethylene Tubing.                 | 1 inch Polyethylene Tubing.  | EACH | \$2.04     |
| ANCILLA<br>RY | Geokon | FPC-01    | Handheld Field PC                           | Complete with software, charger and USB adapter.   | EACH | \$1,627.20 |
| ANCILLA<br>RY | BDI    | IC-02-187 | Red Instrumentation Cable                   | 2 shielded twisted pair (22 awg) with drain wire, 0.187" diameter, red PVC jacket.   | FOOT | \$0.80     |
| ANCILLA<br>RY | BDI    | IC-02-250 | Blue Instrumentation Cable                  | 2 shielded twisted pair (22 awg) with drain wire, 0.250" diameter, blue PVC jacket.  | FOOT | \$0.88     |
| ANCILLA<br>RY | Geokon | 02-335VT8 | Yellow Vented Instrumentation Cable         | 2 shielded twisted pair (22 awg) with drain wire, 0.335" diameter, yellow PU jacket, integral 0.125" Ø polyethylene vent tube. | FOOT | \$1.23     |
| ANCILLA<br>RY | Geokon | 03-250V0  | Black Instrumentation Cable                 | 3 shielded twisted pair (24 awg) with drain wire, 0.250" diameter, black PVC jacket.   | FOOT | \$1.16     |
| ANCILLA<br>RY | Geokon | 04-375V9  | Violet Instrumentation Cable                | 4 shielded twisted pair (22 awg) with drain wire, 0.375" diameter, violet PVC jacket.  | FOOT | \$1.29     |
| ANCILLA<br>RY | Geokon | 05-375V12 | Tan Instrumentation Cable                   | 5 shielded twisted pair (22 awg) with drain wires, 0.375" diameter, tan PVC jacket.  | FOOT | \$1.29     |
| ANCILLA<br>RY | Geokon | 06-312V0  | Black Instrumentation Cable                 | 6 shielded twisted pair (24 awg) with drain wire, 0.312" diameter, black PVC jacket.   | FOOT | \$1.14     |
| ANCILLA<br>RY | Geokon | 06-500V7  | Orange Instrumentation Cable                | 6 shielded twisted pair (22 awg) with drain wires, 0.500" diameter, orange PVC jacket.   | FOOT | \$1.55     |
| ANCILLA<br>RY | Geokon | 07-125S5  | Aircraft Cable                              | Aircraft Cable - 1/8 Inch.   | FOOT | \$2.39     |
| ANCILLA<br>RY | Geokon | 4651-3    | Dead End Pulley                             | Dead End Pulley - For VW Settlement Profiler. Specify two adapters per order.  | EACH | \$473.80   |
| ANCILLA<br>RY | Geokon | 4651-3-1  | ABS Casing Adapter                          | ABS Casing Adapter - 85 mm (3.34") ABS Casing Adapter. Specify two adapters per order.   | EACH | \$26.32    |
| ANCILLA<br>RY | Geokon | 4651-3-4  | ABS Casing Adapter                          | ABS Casing Adapter - 70 mm (2.75") ABS Casing Adapter. Specify two adapters per order.   | EACH | \$26.32    |
| ANCILLA<br>RY | Geokon | 4651-3-5  | ABS Casing Adapter                          | ABS Casing Adapter - 70 mm (2.75") Fiberglass Casing Adapter. Specify two adapters per order.                                  | EACH | \$26.32    |
| ANCILLA<br>RY | Geokon | 6000-10E  | Dummy Probe (English)                       | Dummy Probe (English) - For inclinometer casing.   | EACH | \$746.60   |
| ANCILLA<br>RY | Geokon | 6000-10M  | Dummy Probe (Metric)                        | Dummy Probe (Metric) - For inclinometer casing.  | EACH | \$746.60   |
| ANCILLA<br>RY | Geokon | 6000-11   | Calibration Frame                           | Calibration Frame - For torpedo style inclinometer probes.   | EACH | \$2,153.65 |
| ANCILLA       | Geokon | 6000-12   | Lemo Cable Connector                        | Lemo Cable Connector - For inclinometer cable, for 6000-4E/M   | EACH | \$110.08   |





|               |        |  |   |  |      |            |
|---------------|--------|--|---|--|------|------------|
| RY            |        |  |   | cable.   |      |            |
| ANCILLA<br>RY | Geokon | 6000-12A                                     | Lemo Cable Connector                      | Lemo Cable Connector - For inclinometer cable, for 6000-2E/M cable.  | EACH | \$110.08   |
| ANCILLA<br>RY | Geokon | 6000-15                                      | Wheel Repair Kit                          | Wheel Repair Kit - Includes (4) wheels with pressed-in bushings, axles, (8) mounting screws, 3/16" drill and punch with necessary prints and instructions. | EACH | \$325.44   |
| ANCILLA<br>RY | Geokon | 6000-16FG                                    | Dead End Pulley                           | Dead End Pulley - Fiberglass casing.   | EACH | \$335.01   |
| ANCILLA<br>RY | Geokon | 6000-16GS                                    | Dead End Pulley                           | Dead End Pulley - Glue-snap casing.  | EACH | \$335.01   |
| ANCILLA<br>RY | Geokon | 6000-2E                                      | English Inclinometer Probe Cable          | 1/4" diameter, marked every 2'. Includes connectors at both ends. Specify length.  | EACH | \$469.02   |
| ANCILLA<br>RY | Geokon | 6000-2M                                      | English Inclinometer Probe Cable          | 6.4 mm diameter, marked every 0.5m. Includes connectors at both ends. Specify length.  | EACH | \$469.02   |
| ANCILLA<br>RY | Geokon | 6000-3E                                      | Stainless Steel Carrying Case             | For English horizontal probe.  | EACH | \$521.66   |
| ANCILLA<br>RY | Geokon | 6000-3M                                      | Stainless Steel Carrying Case             | For Metric horizontal probe.   | EACH | \$521.66   |
| ANCILLA<br>RY | Geokon | 6000-6                                       | Pulley Assembly                           | Pulley Assembly - With cable hold for inclinometer probe cable, for 6000-4E/M cable (discontinued), or 6000-2E/M cable > 100 m.                            | EACH | \$478.59   |
| ANCILLA<br>RY | Geokon | 6000-6A                                      | Replacement Pulley Wheel                  | Replacement Pulley Wheel - Assembly only.  | EACH | \$148.36   |
| ANCILLA<br>RY | Geokon | 6000-7                                       | Aluminum Inclinometer Probe Carrying Case | Aluminum Inclinometer Probe Carrying Case - Replacement.   | EACH | \$311.08   |
| ANCILLA<br>RY | Geokon | 6000-9-1<br>6000-9-2<br>6000-9-3<br>6000-9-1 |   | Cable Connector Assembly - For probe end of cable (include copy of DWG# B6701-17 with shipment), for 6000-4E/M cable (discontinued).                       | EACH | \$320.65   |
| ANCILLA<br>RY | Geokon | 6000-9-2                                     | Cable Connector Assembly                  | Cable Connector Assembly - For probe end of cable (include copy of DWG# B6701-17 with shipment), for 6000-4E/M cable (discontinued).                       | EACH | \$320.65   |
| ANCILLA<br>RY | Geokon | 6000-9-3                                     | Cable Connector Assembly                  | Cable Connector Assembly - For probe end of cable (include copy of DWG# B6701-17 with shipment), for 6000-2E/M cable.                                      | EACH | \$320.65   |
| ANCILLA<br>RY | Geokon | 6005-1E                                      | Mechanical Spiral Sensor                  | For 2.75" inclinometer casing, includes probe, protractor, pointer and cable. English units.   | EACH | \$631.74   |
| ANCILLA<br>RY | Geokon | 6005-1M                                      | Mechanical Spiral Sensor                  | For 2.75" inclinometer casing, includes probe, protractor, pointer and cable. Metric units.  | EACH | \$631.74   |
| ANCILLA<br>RY | Geokon | 6005-2                                       | Sectional rods                            | For spiral sensor, 6' (1.5 m) lengths.   | EACH | \$100.50   |
| ANCILLA<br>RY | Geokon | 6005-3                                       | Electronic Spiral Indicator Probe         | For use with GK-604 and standard inclinometer cable, fits 2.75" and 3.34" casing.  | EACH | \$4,068.01 |
| ANCILLA<br>RY | Geokon | 6005-7                                       | Carrying Case                             | Inclinometer probe carrying case (replacement).  | EACH | \$311.08   |
| ANCILLA<br>RY | Geokon | 6015-3E                                      | Stainless Steel Carrying Case             | Stainless Steel Carrying Case - For English horizontal probe.  | EACH | \$545.59   |
| ANCILLA<br>RY | Geokon | 6015-3M                                      | Stainless Steel Carrying Case             | Stainless Steel Carrying Case - For Metric horizontal probe.   | EACH | \$545.59   |
| ANCILLA<br>RY | Geokon | 6150-20                                      | Connector                                 | Connector - 15-Pin Male Connector Assembly for Analog Addressable Strings.   | EACH | \$67.00    |
| ANCILLA<br>RY | Geokon | 6150-21                                      | Connector                                 | Connector - For Digital IPI Cable (one required for each sensor).  | EACH | \$119.65   |
| ANCILLA<br>RY | Geokon | 6150-22                                      | Termination Assembly                      | Termination Assembly - For Digital IPI Cable (one required per string).  | EACH | \$119.65   |
| ANCILLA<br>RY | Geokon | 6300-10                                      | Tool Kit                                  | Tool Kit - Installation Kit for 6300 series inclinometers (1 kit will cover 1-25 inclinometers)  | EACH | \$-        |
| ANCILLA<br>RY | Geokon | 6300-3                                       | Intermediate Wheel Assembly               | Intermediate Wheel Assembly - Tube Attachment. One required per intermediate sensor.   | EACH | \$138.79   |
| ANCILLA<br>RY | Geokon | 6300-3-1                                     | Intermediate Wheel Assembly               | Intermediate Wheel Assembly - Cable Attachment. One required per intermediate sensor.  | EACH | \$138.79   |
| ANCILLA<br>RY | Geokon | 6300-4A                                      | Connecting Tubing                         | Connecting Tubing - For lengths less than 1.5 meters.  | EACH | \$75.62    |
| ANCILLA<br>RY | Geokon | 6300-4B                                      | Connecting Tubing                         | Connecting Tubing - For lengths 1.5 to 3.0 meters.   | EACH | \$89.97    |
| ANCILLA<br>RY | Geokon | 6300-5                                       | Bottom Wheel Assembly                     | Bottom Wheel Assembly - One required per string.   | EACH | \$129.22   |
| ANCILLA<br>RY | Geokon | 6300-5-1                                     | Suspension Bracket                        | Suspension Bracket - With wheel assembly.  | EACH | \$124.43   |
| ANCILLA<br>RY | Geokon | 6300-5-2                                     | Suspension Bracket                        | Suspension Bracket - With wheel assembly and tube attachment.  | EACH | \$220.15   |
| ANCILLA<br>RY | Geokon | 6300-5-3                                     | Suspension Bracket                        | Suspension Bracket - With wheel assembly and cable attachment, for 1/ 8" cable.  | EACH | \$263.22   |
| ANCILLA<br>RY | Geokon | 6300-5-4                                     | Suspension Bracket                        | Suspension Bracket - With tube attachment only.  | EACH | \$172.29   |
| ANCILLA<br>RY | Geokon | 6300-5-5                                     | Suspension Bracket                        | Suspension Bracket - With cable attachment only.   | EACH | \$205.79   |
| ANCILLA<br>RY | Geokon | 6300-6                                       | Support Cable                             | Support Cable - For in-place inclinometer, runs to bottom of assembly.   | foot | \$1.60     |
| ANCILLA       | Geokon | 6300-7                                       | Joint                                     | Joint - For Connecting Tubing, one required per length over 10 Feet.   | EACH | \$33.50    |



| RY            |        |           |   |   |      |          |
|---------------|--------|-----------|---|---|------|----------|
| ANCILLA<br>RY | Geokon | 6300-8    | Centralizer and Wheel<br>Assembly           | Centralizer and Wheel Assembly - For horizontal in-place<br>inclinometer.   | EACH | \$320.65 |
| ANCILLA<br>RY | Geokon | 6400-2-10 | 2.75" Glue-Snap ABS<br>Inclinometer Casing  | 2.75" Glue-Snap ABS Inclinometer Casing - 10 ft length.   | EACH | \$56.47  |
| ANCILLA<br>RY | Geokon | 6400-2-5  | 2.75" Glue-Snap ABS<br>Inclinometer Casing  | 2.75" Glue-Snap ABS Inclinometer Casing - 5 ft length.  | EACH | \$38.29  |
| ANCILLA<br>RY | Geokon | 6400-2A   | Casing Anchor                               | For 2.75" inclinometer casing.  | EACH | \$215.37 |
| ANCILLA<br>RY | Geokon | 6400-2AG  | Casing Anchor                               | For 2.75" inclinometer casing, with grout adapter.  | EACH | \$272.80 |
| ANCILLA<br>RY | Geokon | 6400-2B   | Glue-Snap Bottom Cap                        | For 2.75" inclinometer casing.  | EACH | \$17.23  |
| ANCILLA<br>RY | Geokon | 6400-2G   | Grout Adapter                               | Grout Adapter - For 2.75" inclinometer casing.  | EACH | \$88.06  |
| ANCILLA<br>RY | Geokon | 6400-2G-1 | Female Grout Adapter                        | Female Grout Adapter - For 2.75" inclinometer casing.   | EACH | \$82.32  |
| ANCILLA<br>RY | Geokon | 6400-2R   | Reconnect Adapter                           | Reconnect Adapter - For 2.75" inclinometer casing.  | EACH | \$30.63  |
| ANCILLA<br>RY | Geokon | 6400-2RT  | Reconnect Alignment Tool                    | Reconnect Alignment Tool - For 2.75" inclinometer casing.   | EACH | \$44.03  |
| ANCILLA<br>RY | Geokon | 6400-2S   | Telescoping Section                         | Telescoping Section - For 2.75" inclinometer casing, 6" (150 mm)<br>range, 26" length (600 mm).                                 | EACH | \$81.36  |
| ANCILLA<br>RY | Geokon | 6400-2T   | Top Cap                                     | Top Cap - For 2.75" inclinometer casing.  | EACH | \$3.83   |
| ANCILLA<br>RY | Geokon | 6400-3-10 | 3.34" Glue-Snap ABS<br>Inclinometer Casing. | 3.34" Glue-Snap ABS Inclinometer Casing - 10 ft length.   | EACH | \$90.93  |
| ANCILLA<br>RY | Geokon | 6400-3-5  | 3.34" Glue-Snap ABS<br>Inclinometer Casing  | 3.34" Glue-Snap ABS Inclinometer Casing - 5 ft length.  | EACH | \$56.47  |
| ANCILLA<br>RY | Geokon | 6400-3A   | Casing Anchor                               | Casing Anchor - For 3.34" inclinometer casing.  | EACH | \$220.15 |
| ANCILLA<br>RY | Geokon | 6400-3B   | Casing Anchor                               | Casing Anchor - For 3.34" inclinometer casing, with grout adapter.  | EACH | \$19.14  |
| ANCILLA<br>RY | Geokon | 6400-3G   | Grout Adapter                               | Grout Adapter - For 3.34" inclinometer casing.  | EACH | \$115.82 |
| ANCILLA<br>RY | Geokon | 6400-3G-1 | Female Grout Adapter                        | Female Grout Adapter - For 3.34" inclinometer casing.   | EACH | \$82.32  |
| ANCILLA<br>RY | Geokon | 6400-3R   | Reconnect Adapter                           | Reconnect Adapter - For 3.34" inclinometer casing.  | EACH | \$37.33  |
| ANCILLA<br>RY | Geokon | 6400-3RT  | Reconnect Alignment Tool                    | Reconnect Alignment Tool - For 3.34" inclinometer casing.   | EACH | \$49.77  |
| ANCILLA<br>RY | Geokon | 6400-3S   | Telescoping Section                         | Telescoping Section - For 3.34" inclinometer casing, 6" (150 mm)<br>range, 26" length (600 mm).                                 | EACH | \$92.85  |
| ANCILLA<br>RY | Geokon | 6400-3T   | Top Cap                                     | Top Cap - For 3.34" inclinometer casing.  | EACH | \$4.79   |
| ANCILLA<br>RY | Geokon | 6501-1    | Fiberglass Inclinometer<br>Casing           | Fiberglass Inclinometer Casing - 2.77" (70 mm), 10' (3 m) length.   | EACH | \$62.22  |
| ANCILLA<br>RY | Geokon | 6501-10   | Cordless Drill/Screwdriver                  | Cordless Drill/Screwdriver - 3/8" chuck, Skill #2503. With (2) #30<br>drill bits (for pop rivets).                              | EACH | \$129.22 |
| ANCILLA<br>RY | Geokon | 6501-11   | Tool  | Tool - POP fasteners pop rivet tool.  | EACH | \$44.99  |
| ANCILLA<br>RY | Geokon | 6501-1-1  | Dead End Pulley Assembly                    | For RST 3.34" inclinometer casing and 3/4" IPS PVC return pipe.   | EACH | \$363.73 |
| ANCILLA<br>RY | Geokon | 6501-12   | Dome Head Pop Rivets                        | Dome Head Pop Rivets - 1/4" head, 1/8" Ø, 0.5" body, 100 count<br>packet.   | EACH | \$10.53  |
| ANCILLA<br>RY | Geokon | 6501-1-2  | Dead End Pulley Assembly                    | For 2" SCH 40 PVC pipe and 3/4" IPS PVC return pipe.  | EACH | \$363.73 |
| ANCILLA<br>RY | Geokon | 6501-1-3  | Dead End Pulley Assembly                    | For SINCO 85 mm Ø × 75 mm Ø inclinometer casing and 3/4" IPS PVC<br>return pipe.  | EACH | \$363.73 |
| ANCILLA<br>RY | Geokon | 6501-1-5  | Fiberglass Inclinometer<br>Casing           | Fiberglass Inclinometer Casing - 2.77" (70 mm), 5' (1.5 m) length.  | EACH | \$36.37  |
| ANCILLA<br>RY | Geokon | 6501-2    | Fiberglass Inclinometer<br>Casing           | Fiberglass Inclinometer Casing - 2.77" (70 mm), 3' (1 m) length.  | EACH | \$21.06  |
| ANCILLA<br>RY | Geokon | 6501-2-12 | Fiberglass Inclinometer<br>Casing Coupler   | Fiberglass Inclinometer Casing Coupler - For Model 6501 Casing,<br>12" (300 mm) length × 2.96" (75 mm) Ø.                       | EACH | \$10.53  |
| ANCILLA<br>RY | Geokon | 6501-2-1M | Fiberglass Inclinometer<br>Casing Coupler   | Fiberglass Inclinometer Casing Coupler - For Model 6501 Casing, 1<br>m length × 75 mm (2.96") Ø.                                | EACH | \$24.89  |
| ANCILLA<br>RY | Geokon | 6501-3    | Inclinometer Casing End Cap                 | Inclinometer Casing End Cap - For Model 6501 casing.  | EACH | \$18.19  |
| ANCILLA<br>RY | Geokon | 6501-4    | Inclinometer Casing Bottom<br>Plug          | Inclinometer Casing Bottom Plug - For model 6501 casing with 1/2"<br>grout pipe connector.                                      | EACH | \$87.10  |
| ANCILLA<br>RY | Geokon | 6501-5    | Inclinometer Casing Coupling                | Inclinometer Casing Coupling - Waterproof caulking tapes (enough<br>for 12 couplings).  | EACH | \$24.89  |
| ANCILLA<br>RY | Geokon | 6501-6-1  | Inclinometer Casing<br>Protective Housing   | Inclinometer Casing Protective Housing - 4" galvanized steel pipe<br>with lockable cap. For Model 6501 Fiberglass Casing.       | EACH | \$272.80 |
| ANCILLA<br>RY | Geokon | 6501-6-2  | Inclinometer Casing<br>Protective Housing   | Inclinometer Casing Protective Housing - 4" galvanized steel pipe<br>with lockable cap. For use with 2 3/4" (70 mm) RST Casing. | EACH | \$272.80 |



|           |        |             |  |  |      |            |
|-----------|--------|-------------|--|--|------|------------|
| ANCILLARY | Geokon | 6501-6-3    | Inclinometer Casing Protective Housing | Inclinometer Casing Protective Housing - 4" galvanized steel pipe with lockable cap. For use with 3.34" (85 mm) RST Casing.  | EACH | \$272.80   |
| ANCILLARY | Geokon | SITEMASTER  | SITEMASTER                             | SiteMaster software is a powerful inclinometer processing and presentation program. It can process and present all inclinometers within a project, and can also include plan view displacement graphs related to any excavation history. SiteMaster works with any inclinometer system which produces a text data file. Data are stored systematically in an easy to modify folder, with corresponding displacement graphs organized in a simple and efficient manner. SiteMaster also features a reporting tool allowing reports to be quickly generated and exported in PDF or MS Word format. | EACH | \$765.74   |
| ANCILLARY | BDI    | IT-01       | Integrated Thermistor                  | Temperature range of -55°C to +220°C, Accuracy: ±0.5°C. IC-03-250 cable required.  | EACH | \$33.50    |
| ANCILLARY | Geokon | 4000-7      | Strain Gage Surface Mounting Kit       | Machined steel jig and spacer bar for safely and accurately drilling holes and installing mounting tabs.   | KIT  | \$105.29   |
| ANCILLARY | Geokon | 4000-8      | Strain Gage Welding Kit                | Machined steel jig and spacer bar for safely and accurately welding arc weldable mounting tabs.  | KIT  | \$105.29   |
| ANCILLARY | Geokon | 4000-9      | Strain Gage Spacer Bar                 | 6 in (152mm) Steel spacer bar.   | EACH | \$31.59    |
| ANCILLARY | BDI    | JIG-ST-02   | Extension Jig                          | Jig for attaching transducer extensions  | EACH | \$157.93   |
| ANCILLARY | BDI    | JIG-ST-03   | Tab Welding/Glue Jig                   | Jig for welding/gluing tabs to structure with 3" gage length   | EACH | \$81.36    |
| ANCILLARY | Geokon | 4000-4S     | Sensor Surface Mounting Tab            | Flanged surface mounts with through hole mounting holes. Come with integral set screws for VW-4000-01.   | SET  | \$57.43    |
| ANCILLARY | Geokon | 4000-4W     | Sensor Welding Mounting Tab            | Arc Weldable surface mounts. Come with integral set screws for VW-4000-01.   | SET  | \$32.54    |
| ANCILLARY | Geokon | 6350-01     | Uni-Axial Mounting Bracket             | 3/8" Rawl drop-in anchor, 2" 3/8-16 threaded rod, (2) 3/8-16 nuts, (2) flat washers and (1) lock washer.   | EACH | \$90.93    |
| ANCILLARY | Geokon | 6350-02     | Bi-Axial Mounting Bracket              | 3/8" Rawl drop-in anchor, 2" x 3/8-16 threaded rod, complete with nuts and washers   | EACH | \$114.86   |
| ANCILLARY | BDI    | MNT-CBL     | Cable Mounting Bracket                 | For attaching accelerometer to cables  | EACH | \$65.09    |
| ANCILLARY | BDI    | MNT-I-01    | Sensor Mounting Tab                    | Imperial 1/4-20 thread with nut, reusable zinc plated steel mounting tab. For gluing and welding applications.   | EACH | \$4.26     |
| ANCILLARY | BDI    | MNT-I-02    | Tri-Axial Mounting Block               | Imperial 1/4-20 hardware included  | EACH | \$75.62    |
| ANCILLARY | BDI    | MNT-I-03    | Standard RDT Mounting Bracket          | Machined aluminum anodized end bracket for RDT-S-####. Comes with two rod ends for 1/4-20 or M6 hardware.  | EACH | \$62.22    |
| ANCILLARY | BDI    | MNT-M-01    | Sensor Mounting Tab                    | Metric M6 thread with nut, reusable zinc plated steel mounting tab. For gluing and welding applications.   | EACH | \$4.26     |
| ANCILLARY | BDI    | MNT-M-02    | Tri-Axial Mounting Block               | Metric M6 hardware included  | EACH | \$75.62    |
| ANCILLARY | BDI    | MNT-M-04    | Micro RDT Mounting Bracket             | Machined aluminum mounting bracket for RDT-M-####. Two through holes for either 1/4-20 or M6 hardware.   | EACH | \$33.50    |
| ANCILLARY | BDI    | MNT-S-01    | Loading Washer                         | Zinc plated steel convex spherical loading washer  | EACH | \$138.79   |
| ANCILLARY | BDI    | SCP-4100-12 | Aluminum Protective Cover              | Insulated aluminum protective cover for 2 in (51mm) spot weldable Strain gage.   | EACH | \$52.64    |
| ANCILLARY | BDI    | SPC-4000-12 | Aluminum Protective Cover              | Insulated aluminum protective cover for 6 in (152mm) Strain gage.  | EACH | \$76.57    |
| ANCILLARY | BDI    | SPC-6350-01 | Aluminum Protective Cover              | Insulated aluminum protective cover either uni-axial or bi-axial setup.  | EACH | \$138.79   |
| ANCILLARY | BDI    | SPC-AI-02   | Protective Cover                       | For Strain Transducers with Extension Attached   | EACH | \$90.93    |
| ANCILLARY | BDI    | SPC-AI-03   | Accelerometer Protective Cover         | For a Single Accelerometer   | EACH | \$81.36    |
| ANCILLARY | BDI    | SPC-AI-08   | Protective Cover                       | Aluminum insulated cover for a single Micro RDT.   | EACH | \$90.93    |
| ANCILLARY | BDI    | ST-EXT-01   | Strain Transducer Extension            | 24-inch strain transducer gage length extension  | EACH | \$81.36    |
| ANCILLARY | BDI    | STS-CFA     | Cable Force Analysis Software          | Post process dynamic cable force analysis software. This software is designed to read the dynamic response from accelerometers and calculate the tension force of a cable through the taut string theory. Compatible with Windows® XP, 7, and 8.1 (32-bit & 64-bit operating systems).   | EACH | \$1,133.50 |
| ANCILLARY | BDI    | STS-CORE    | STS4 Core LabView Integration Module   | Core communication module with command set for communicating with the STS4 hardware using a customer's own LabView program. Compatible with Windows® XP, 7, and 8.1 (32-bit & 64-bit operating systems).   | EACH | \$9.50     |
| ANCILLARY | BDI    | DIC-01      | Digital Input Connector                | Required for use with STS4-4-lxx nodes. Instrumentation Cable is integrated into connector and potted.   | EACH | \$71.79    |
| ANCILLARY | BDI    | STS-INTELIC | Connector                              | Intelliducer Connector   | EACH | \$113.35   |
| ANCILLARY | BDI    | STS-LIVE    | Data Acquisition Software              | Custom data collection, graphing, and management software specifically designed for all STS4 hardware. Compatible with Windows® XP, 7, and 8.1 (32-bit & 64-bit operating systems).  | EACH | \$1,446.35 |



|           |                  |                 |   |  |      |            |
|-----------|------------------|-----------------|---|--|------|------------|
| ANCILLARY | BDI              | STS-VIEW        | Data Graphing Software  | Post process graphing and review software. This software is a powerful graphing utility specifically designed for the STS data files. Compatible with Windows® XP, 7, and 8.1 (32-bit & 64-bit operating systems).   | EACH | \$1,133.50 |
| ANCILLARY | Geokon           | 4100-01         | Strain Gage Tensioning Wrench                                       | Tool for tensioning strain gages.  | EACH | \$13.40    |
| ANCILLARY | Geokon           | 4150-01         | Positioning Tool  | Positioning Tool   | EACH | \$1.00     |
| ANCILLARY | BDI              | TRT-I-01        | Tab Removal Tool  | Zinc plated steel, Imperial 1/4-20, for use with MNT-I-01.   | EACH | \$86.15    |
| ANCILLARY | BDI              | TRT-M-01        | Tab Removal Tool  | Zinc plated steel, Metric M10, for use with MNT-M-01.  | EACH | \$86.15    |
| ANCILLARY | Geokon           | 4800-PT         | Post Stressing Tube   | Post Stressing Tube  | EACH | \$9.57     |
| ANCILLARY | Geokon           | GK-404-1        | Flying Leads for GK-404 Readout.                                    | Flying Leads for GK-404 Readout.   | EACH | \$55.52    |
| ANCILLARY | Geokon           | GK-404-4        | Carrying Case for GK-404 Readout.                                   | Carrying Case for GK-404 Readout.  | EACH | \$20.10    |
| ANCILLARY | BDI              | WinGEN & WinSAC | Simplified Finite Element Analysis and Correlation Software Package | Custom 2D finite element analysis modeling software and STS correlation software. Compatible with Windows® XP (32-bit operating systems ONLY).   | EACH | \$4,307.30 |
| ANCILLARY | BDI              | BIC-08-BLK      | Battery Interconnect Cable  | 2 awg, 8 in (203mm) length, Black flame resistant insulation. Rated for 600V - UL, includes integrated 3/8 in copper lugs.   | EACH | \$19.14    |
| ANCILLARY | BDI              | BIC-08-RD       | Battery Interconnect Cable  | 2 awg, 8 in (203mm) length, Red flame resistant insulation. Rated for 600V - UL, includes integrated 3/8 in copper lugs.   | EACH | \$19.14    |
| ANCILLARY | BDI              | BIC-13-BLK      | Battery Interconnect Cable  | 2 awg, 13 in (330mm) length, Black flame resistant insulation. Rated for 600V - UL, includes integrated 3/8 in copper lugs.  | EACH | \$22.97    |
| ANCILLARY | BDI              | BIC-13-RED      | Battery Interconnect Cable  | 2 awg, 13 in (330mm) length, Red flame resistant insulation. Rated for 600V - UL, includes integrated 3/8 in copper lugs.  | EACH | \$22.97    |
| ANCILLARY | BDI              | FGLW-01         | Foil Gage Lead Wire   | 3-wire foil strain gage ribbon wire prewired in the M8 mating connector.   | EACH | \$23.93    |
| ANCILLARY | BDI              | PWR-AC-100      | AC Powered System Components (100 Watt)                             | Internal wiring and system components for an AC powered data logger and battery backup system. Includes AC surge protection, +12 or +24VDC (100W) battery charge controller, input and load circuit breakers, load terminals, and grounding. Batteries not included. All purchased STS4 hardware will also be prewired.  | EACH | \$2,751.89 |
| ANCILLARY | BDI              | PWR-AC-300      | AC Powered System Components (300 Watt)                             | Internal wiring and system components for an AC powered data logger and battery backup system. Includes AC surge protection, +24VDC (300W) battery charge controller, input and load circuit breakers, load terminals, and grounding. Batteries not included. All purchased STS4 hardware will also be prewired.   | EACH | \$3,039.04 |
| ANCILLARY | BDI              | PWR-DC-15       | DC Powered System Components (15 Amp)                               | Internal wiring and system components for a solar powered data logger and battery backup system. Includes +12 to +24VDC - 15 Amp MPPT solar charge controller, DC surge protection, input and load circuit breakers, load terminals, and grounding. Batteries and solar panel not included. All purchased STS4 hardware will also be prewired.   | EACH | \$2,273.30 |
| ANCILLARY | BDI              | PWR-DC-30       | DC Powered System Components (30 Amp)                               | Internal wiring and system components for a solar powered data logger and battery backup system. Includes +12 to +24VDC - 30 Amp MPPT solar charge controller, DC surge protection, input and load circuit breakers, load terminals, and grounding. Batteries and solar panel not included. All purchased STS4 hardware will also be prewired.   | EACH | \$2,483.88 |
| ANCILLARY | Solarcraft, Inc. | DC-UPS-24-100   | 100 Watt AC Power Charge Controller                                 | Universal 85-265VAC input range, +24VDC battery and load output. Integrated Low Voltage Disconnect to protect battery from deep discharge. Maximum rating of 100 Watts.  | EACH | \$626.95   |
| ANCILLARY | Solarcraft, Inc. | DC-UPS-24-300   | 300 Watt AC Power Charge Controller                                 | Universal 85-265VAC input range, +24VDC battery and load output. Integrated Low Voltage Disconnect to protect battery from deep discharge. Maximum rating of 300 Watts.  | EACH | \$875.82   |
| ANCILLARY | Solarcraft, Inc. | U24D-0          | Custom Aluminum Enclosure   | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 28 in (711mm), backplane 21.5 x 27.5 in (546 x 699mm), 0 batteries. | EACH | \$1,407.05 |
| ANCILLARY | Solarcraft, Inc. | U24D-2          | Custom Aluminum Enclosure   | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 28 in (711mm), backplane 13.5 x 27.5 in (343 x 699mm), 2 batteries. | EACH | \$1,407.05 |
| ANCILLARY | Solarcraft, Inc. | U32D-0          | Custom Aluminum Enclosure   | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery  | EACH | \$1,694.21 |



|           |                  |        |                           |   |      |            |
|-----------|------------------|--------|---------------------------|---|------|------------|
|           |                  |        |                           | compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 36 in (914mm), backplane 29.5 x 27.5 in (749 x 699mm), 0 batteries.  |      |            |
| ANCILLARY | Solarcraft, Inc. | U32D-2 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 36 in (914mm), backplane 21.5 x 27.5 in (546 x 699mm), 2 batteries.  | EACH | \$1,694.21 |
| ANCILLARY | Solarcraft, Inc. | U32D-4 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 36 in (914mm), backplane 13.5 x 27.5 in (343 x 699mm), 4 batteries.  | EACH | \$1,694.21 |
| ANCILLARY | Solarcraft, Inc. | U40D-0 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 44 in (1118mm), backplane 37.5 x 27.5 in (953 x 699mm), 0 batteries. | EACH | \$2,067.51 |
| ANCILLARY | Solarcraft, Inc. | U40D-2 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 44 in (1118mm), backplane 29.5 x 27.5 in (749 x 699mm), 2 batteries. | EACH | \$2,067.51 |
| ANCILLARY | Solarcraft, Inc. | U40D-4 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 44 in (1118mm), backplane 21.5 x 27.5 in (546 x 699mm), 4 batteries. | EACH | \$2,067.51 |
| ANCILLARY | Solarcraft, Inc. | U40D-6 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 44 in (1118mm), backplane 13.5 x 27.5 in (343 x 699mm), 6 batteries. | EACH | \$2,067.51 |
| ANCILLARY | Solarcraft, Inc. | U48D-2 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 52 in (1321mm), backplane 37.5 x 27.5 in (953 x 699mm), 2 batteries. | EACH | \$2,459.95 |
| ANCILLARY | Solarcraft, Inc. | U48D-4 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 52 in (1321mm), backplane 29.5 x 27.5 in (749 x 699mm), 4 batteries. | EACH | \$2,459.95 |
| ANCILLARY | Solarcraft, Inc. | U48D-6 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 52 in (1321mm), backplane 21.5 x 27.5 in (546 x 699mm), 6 batteries. | EACH | \$2,459.95 |
| ANCILLARY | Solarcraft, Inc. | U56D-4 | Custom Aluminum Enclosure | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery   | EACH | \$2,651.39 |



|           |                  |          |   |   |      |            |
|-----------|------------------|----------|---|---|------|------------|
|           |                  |          |   | compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 60 in (1524mm), backplane 37.5 x 27.5 in (953 x 699mm), 4 batteries.   |      |            |
| ANCILLARY | Solarcraft, Inc. | U56D-6   | Custom Aluminum Enclosure                             | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 60 in (1524mm), backplane 37.5 x 27.5 in (953 x 699mm), 6 batteries. | EACH | \$2,651.39 |
| ANCILLARY | Solarcraft, Inc. | U64D-6   | Custom Aluminum Enclosure                             | Aluminum powder coated (white) enclosure for structural monitoring system components, power system components and battery backup system. Electronics compartment (Nema 4X) isolated from battery compartment (Nema 3R), battery compartment designed for holding Group 31 type AGM or GEL Cell batteries. Enclosure is 30.5 in (775mm) wide, 13.25 in (337mm) depth, and comes with aluminum electronics backplane. Height 68 in (1727mm), backplane 37.5 x 27.5 in (953 x 699mm), 6 batteries. | EACH | \$2,747.10 |
| ANCILLARY | Solarcraft, Inc. | 385464   | Mounting Pedestal                                     | 6 in (152mm) mounting pedestals.  | EACH | \$220.15   |
| ANCILLARY | Solarcraft, Inc. | 385468   | Mounting Pedestal                                     | 12 in (305mm) mounting pedestals.   | EACH | \$282.37   |
| ANCILLARY | Solarcraft, Inc. | 385469   | Mounting Pedestal                                     | 20 in (508mm) mounting pedestals.   | EACH | \$344.58   |
| 334515    | Instantel        | 721A2501 | Micromate ISEE Base Unit                              | Base unit with 1000 event memory, USB cable, Blastware Compliance Module Software, power adaptor, carrying case and electronic version of manual. Sensors not included. Must be purchased with either Standard Triaxial Geophone (p/n 721A2901 or 721A2902) or Triaxial Borehole Geophone (p/n 721A2401 or 721A2402). Comes with 110V AC N American power adapter.  | EACH | \$4,158.94 |
| 334515    | Instantel        | 721A2601 | Micromate DIN Base Unit                               | Base unit with 1000 event memory, USB cable, Blastware Compliance Module Software, power adaptor, carrying case and electronic version of manual. Sensors not included. Must be purchased with either Standard Triaxial Geophone (p/n 721A3301 or 721A3302) or Triaxial Borehole Geophone (p/n 721A2401 or 721A2402). Comes with 110V AC N. American power adapter.   | EACH | \$4,446.10 |
| 334515    | Instantel        | 720A2401 | Minimate Pro6 Base Unit                               | 6-Channel base unit with 64 mb of memory, ethernet RJ-45 cable, Blastware Compliance Module software, power adaptor, carrying case and electronic version of manual. Sensors not included. Comes with 110V AC N. American power adapter.  | EACH | \$7,845.99 |
| 334515    | Instantel        | 720A2301 | Minimate Pro4 Base Unit                               | 4-Channel base unit with 64 mb of memory, ethernet RJ-45 cable, Blastware Compliance Module software, power adaptor, carrying case and electronic version of manual. Sensors not included. Comes with 110V AC N. American power adapter.  | EACH | \$5,262.57 |
| 334515    | Instantel        | 721A2901 | Micromate ISEE 2 m (6.5 ft) Triaxial Geophone         | 250 Hz geophone. Comes complete with a 2 m (6.5 ft) cable and mounting spikes (p/n 1100241). Must be calibrated to a Micromate base unit (p/n 721A2501).  | EACH | \$1,387.91 |
| 334515    | Instantel        | 721A2902 | Micromate ISEE 5 m (16.4 ft) Triaxial Geophone        | 2-250 Hz geophone. Comes complete with a 5 m (16.4 ft) cable and mounting spikes (p/n 1100241). Must be calibrated to a Micromate base unit (p/n 721A2501).   | EACH | \$1,483.63 |
| 334515    | Instantel        | 721A3301 | Micromate DIN 2 m (6.5 ft) Triaxial Geophone          | 1-315 Hz geophone. Comes complete with a 2 m (6.5 ft) cable and mounting spikes (p/n 1100241). Must be calibrated to a Micromate base unit (p/n 721A2601).  | EACH | \$1,387.91 |
| 334515    | Instantel        | 721A3302 | Micromate DIN 5 m (16.4 ft) Triaxial Geophone         | 1-315 Hz geophone. Comes complete with a 5 m (16.4 ft) cable and mounting spikes (p/n 1100241). Must be calibrated to a Micromate base unit (p/n 721A2601).   | EACH | \$1,483.63 |
| 334515    | Instantel        | 720A2001 | Minimate Pro ISEE 2 m (6.5 ft) Triaxial Geophone      | 2-250 Hz geophone. Comes complete with a 2 m (6.5 ft) cable and mounting spikes (p/n 1100241).  | EACH | \$1,339.09 |
| 334515    | Instantel        | 720A2002 | Minimate Pro DIN 2 m (6.5 ft) Triaxial Geophone       | 1-315 Hz geophone. Comes complete with a 2 m (6.5 ft) cable and mounting spikes (p/n 1100241).  | EACH | \$1,683.68 |
| 334515    | Instantel        | 720A2003 | Minimate Pro DIN (VDV) 2 m (6.5 ft) Triaxial Geophone | 1-80 Hz geophone. Comes complete with a 2 m (6.5 ft) cable and mounting spikes (p/n 1100241).   | EACH | \$1,683.68 |
| 334515    | Instantel        | 720A2004 | Minimate Pro ISEE 8 m (26 ft) Triaxial Geophone       | 2-250 Hz geophone. Comes complete with a 8 m (26 ft) cable and mounting spikes (p/n 1100241).   | EACH | \$2,194.81 |
| 334515    | Instantel        | 720A2005 | Minimate Pro DIN 8 m (26 ft) Triaxial Geophone        | 1-315 Hz geophone. Comes complete with a 8 m (26 ft) cable and mounting spikes (p/n 1100241).   | EACH | \$2,539.40 |
| 334515    | Instantel        | 720A2006 | Minimate Pro DIN (VDV) 8 m (26 ft) Triaxial Geophone  | 1-80 Hz geophone. Comes complete with a 8 m (26 ft) cable and mounting spikes (p/n 1100241).  | EACH | \$2,539.40 |
| 334515    | Instantel        | 721A2401 | Micromate 30 m (100 ft) Triaxial Borehole Geophone    | 2.5 in (64 mm) borehole Geophone with 30 m (100 ft) cable. Requires a 3.0 in (77 mm) minimum diameter borehole for installation. Must be calibrated to a Micromate base unit (p/n 721A2501 or 721A2601).  | EACH | \$2,866.75 |
| 334515    | Instantel        | 721A2402 | Micromate 75 m (250 ft) Triaxial Borehole Geophone    | 2.5 in (64 mm) borehole Geophone with 75 m (250 ft) cable. Requires a 3.0 in (77 mm) minimum diameter borehole for installation. Must be calibrated to a Micromate base unit (p/n 721A2501 or 721A2601).  | EACH | \$3,134.76 |
| 334515    | Instantel        | 720A5601 | Minimate Pro ISEE 30 m (100                           | 2-250 Hz, 2.5 in (64 mm) borehole geophone with 30 m (100 ft)   | EACH | \$3,823.93 |





|           |           |          | ft) Triaxial Borehole Geophone                                       | cable. Requires a 3.0 in (77 mm) minimum diameter borehole for installation.   |      |            |
|-----------|-----------|----------|--|--|------|------------|
| 334515    | Instantel | 720A5701 | Minimate Pro DIN 30 m (100 ft) Triaxial Borehole Geophone            | 1-315 Hz, 2.5 in (64 mm) borehole geophone with 30 m (100 ft) cable. Requires a 3.0 in (77 mm) minimum diameter borehole for installation.   | EACH | \$4,172.34 |
| 334515    | Instantel | 720A5801 | Minimate Pro High Frequency 30 m (100 ft) Triaxial Borehole Geophone | 30-1000 Hz borehole geophone for near field monitoring. 2.5 in (64 mm) with 30 m (100 ft) cable. Requires a 3.0 in (77 mm) minimum diameter borehole for installation. Blastware® Advanced Module software is required.                                  | EACH | \$4,398.24 |
| 334515    | Instantel | 721A0201 | Micromate Linear Microphone  | Measures air overpressure in a linear scale. Comes complete with a 2 m (6.5 ft) cable and microphone stand (p/n 720A6001).   | EACH | \$765.74   |
| 334515    | Instantel | 721A2301 | Micromate Sound Level Microphone                                     | Class 1 noise microphone. Comes complete with 2 m (6.5 ft) cable and a microphone stand (p/n 720A6001).  | EACH | \$2,483.88 |
| 334515    | Instantel | 720A1801 | Minimate Pro Linear Microphone                                       | Measures air overpressure in a linear scale. Comes complete with 2 m (6.5 ft) cable and microphone stand (p/n 720A6001).   | EACH | \$1,050.98 |
| 334515    | Instantel | 720A5101 | Minimate Pro Sound Level Microphone                                  | Class 1 noise microphone. Comes complete with 2 m (6.5 ft) cable and a microphone stand (p/n 720A6001).  | EACH | \$2,483.88 |
| 334515    | Instantel | 720A4701 | Minimate Pro High Frequency Geophone                                 | 30-1000 Hz geophone with 2 m (6.5 ft) cable for near field monitoring. With a range up to 2540 mm/s (100 in/s). Blastware Advanced Module software is required.  | EACH | \$2,627.46 |
| 334515    | Instantel | 720A4801 | Minimate Pro High Pressure Microphone                                | Measures air overpressure from close in or confined blasting activities. Comes complete with a 2 m (6.5 ft) cable and microphone stand (p/n 720A6001). Blastware Advanced Module software is required.   | EACH | \$6,312.59 |
| 334515    | Instantel | 720A5001 | Minimate Pro Hydrophone  | Measures overpressure in water. Comes complete with a 60 m (200 ft) cable. Blastware Advanced Module software is required.   | EACH | \$1,995.72 |
| 334515    | Instantel | 714A7101 | 0.5 g Accelerometer  | 0.5-500 Hz. Measures low frequencies and accelerations for sensitive applications. Requires either a uniaxial accelerometer adaptor cable (p/n 720A4901) or a triaxial adaptor cable (p/n 720A5201). Blastware Advanced Module software is required.     | EACH | \$3,153.90 |
| 334515    | Instantel | 720A6301 | 50 g Accelerometer   | 1-3000 Hz. Measures accelerations of up to 50 g for near field blasting applications. Requires either a uniaxial accelerometer adaptor cable (p/n 720A4901) or a triaxial adaptor cable. Blastware Advanced Module software is required.                 | EACH | \$1,526.70 |
| 334515    | Instantel | 720A6401 | 500 g Accelerometer  | 1-3000 Hz. Measures accelerations of up to 500 g for near field blasting applications. Requires either a uniaxial accelerometer adaptor cable (p/n 720A4901) or a triaxial adaptor cable (p/n 720A5201). Blastware Advanced Module software is required. | EACH | \$1,526.70 |
| 334515    | Instantel | 714A4501 | Blastware® Advanced Module   | Event management, reporting and advanced analysis software. Microsoft® 8, 7, 2000, XP or Vista operating system required.  | EACH | \$1,626.25 |
| 334515    | Instantel | 720A6101 | Third Party Access Software  | Package includes an Application Program Interface (API) that provides direct access to a Minimate Pro monitoring unit without using Blastware.   | EACH | \$957.18   |
| 334515    | Instantel | 720A6102 | Third Party Access Unit License                                      | Provides access to one unit through the Third Party Access Software for a one year period.   | EACH | \$95.72    |
| 334515    | Instantel | 720A6103 | Third Party Access Unit License Renewal                              | Renews a Third Party Access Unit License for an additional year.   | EACH | \$47.86    |
| ANCILLARY | Instantel | 721A0301 | Micromate Boot   | Protective rubber boot and plastic cover for the Micromate.  | EACH | \$190.48   |
| ANCILLARY | Instantel | 721A3001 | Micromate Geophone Wall Mount Modification                           | Modifies a Micromate Triaxial Geophone to a wall mount orientation. Configured by manufacturer only.   | EACH | \$119.65   |
| ANCILLARY | Instantel | 721A0101 | Micromate Auxiliary Port   | Auxiliary port for the use of a remote alarm or an external trigger cable. Configured by manufacturer only.  | EACH | \$282.37   |
| ANCILLARY | Instantel | 721A1101 | Micromate Extended Memory  | Increases the memory in the Micromate monitoring unit from 15 megabytes to 60 megabytes. The number of events increases from 1,000 to 4,000. Configured by manufacturer only.  | EACH | \$190.48   |
| ANCILLARY | Instantel | 721A1301 | Extended Battery Life  | Extends the battery life of a Micromate monitoring unit from 10 days to up to 15 days. Configured by manufacturer only.  | EACH | \$142.62   |
| ANCILLARY | Instantel | 720A6201 | Minimate Pro Geophone Wall Mount Modification                        | Modifies a Minimate Pro Triaxial Geophone to a wall mount orientation. Configured by manufacturer only.  | EACH | \$119.65   |
| ANCILLARY | Instantel | 720A5901 | Minimate Pro Extended Memory   | Increases the memory in the Minimate Pro units from 64 megabytes to 240 megabytes. The number of events increases from 8,000 to over 32,000, or from a single event of 7.5 hours to over 26 hours.   | EACH | \$381.91   |
| ANCILLARY | Instantel | 721A0901 | Micromate Remote Alarm Controller                                    | Self-contained controller complete with 2 m (6.5 ft) cable and high power auxiliary drive capability for external sirens and other alarms. Requires the auxiliary port option (p/n 721A0101).  | EACH | \$473.80   |
| ANCILLARY | Instantel | 721A1401 | Micromate External Trigger Cable                                     | 2 m (6.5 ft) cable used to remotely trigger a Micromate monitoring unit. Requires the auxiliary port option (p/n 721A0101).  | EACH | \$228.77   |
| ANCILLARY | Instantel | 72100101 | Micromate Portable Printer   | Battery operated printer. Comes with USB cable. Easily transported, this lightweight printer is great for printing event reports in the field.   | EACH | \$956.22   |
| ANCILLARY | Instantel | 714A1801 | Triaxial Geophone Leveling Plate                                     | Comes complete with leveling feet and integrated spirit level. For use with Micromate, Minimate Pro, Minimate Plus and Minimate Blaster external geophones.  | PACK | \$314.91   |
| ANCILLARY | Instantel | 718A0101 | Triaxial Geophone Wall Mount Kit                                     | Used to mount an Instantel Triaxial Geophone to a wall or other vertical surface. Package includes aluminum mounting block, bolts and mounting instructions. For use with Micromate, Minimate Pro,   | EACH | \$468.06   |



|               |           |                |   |  |          |            |
|---------------|-----------|----------------|---|--|----------|------------|
|               |           |                |   | Minimate Plus and Minimate Blaster external geophones.   |          |            |
| ANCILLA<br>RY | Instantel | 721U0103       | Micromate Quick Start Guide                       | Printed on water-proof and tear-proof paper. Ideal for rental units, this is a great start up reference for use in the field. Package of 3.  | EACH     | \$33.50    |
| ANCILLA<br>RY | Instantel | 080A11         | Accelerometer Triaxial Mounting Block             | Used to mount 3 uniaxial accelerometers to measure in a triaxial configuration. For use with 0.5 g, 50 g or 500 g accelerometers (p/n 714A7101, 72002701 or 72002401).   | EACH     | \$602.07   |
| ANCILLA<br>RY | Instantel | 720A3901       | Minimate Pro Remote Alarm Controller              | Self-contained controller complete with 5m (16.3ft) cable & high-power auxiliary drive capability for external sirens & other alarms.  | EACH     | \$908.36   |
| ANCILLA<br>RY | Instantel | 720A3501       | Minimate Pro Wire Make/Break Trigger Cable        | 2 m (6.5 ft) cable. Starts the event recording on a Minimate Pro monitoring unit when either the wires make contact or when the wires separate. Can be used with an operator's button or to correspond with the detonation of a blast. Package includes connectors and instructions.   | EACH     | \$381.91   |
| ANCILLA<br>RY | Instantel | 714A7001       | USB Serial Adaptor Kit P-                         | Converts an RS-232 to a USB 2.0 connector. For use with a serial cable to download event data from an Instantel monitoring unit to a PC.   | EACH     | \$75.62    |
| ANCILLA<br>RY | Instantel | 714A1801       | Triaxial Geophone Leveling Plate                  | Comes complete with leveling feet and integrated spirit level. For use with Micromate, Minimate Pro, Minimate Plus and Minimate Blaster external geophones.  | EACH     | \$314.91   |
| ANCILLA<br>RY | Instantel | 718A0101       | Triaxial Geophone Wall Mount Kit                  | Used to mount an Instantel Triaxial Geophone to a wall or other vertical surface. Package includes aluminum mounting block, bolts and mounting instructions. For use with Micromate, Minimate Pro, Minimate Plus and Minimate Blaster external geophones.                              | EACH     | \$468.06   |
| ANCILLA<br>RY | Instantel | 720A5501       | Minimate Pro Splitter Box                         | Used to connect up to 3 uniaxial sensors on a Minimate Pro Monitoring Unit, complete with 2 m (6.5 ft) cable.  | EACH     | \$1,220.40 |
| ANCILLA<br>RY | Instantel | 714A2401       | 12V Power Adaptor Kit                             | Used to power a Minimate Pro, Minimate Plus or Minimate Blaster with 12V battery or through the electrical outlet in a vehicle. Great for field use.   | EACH     | \$180.91   |
| ANCILLA<br>RY | Instantel | 721A0801       | Micromate 30 m (100 ft) Extension Cable           | For use with Micromate geophones and microphones. Comes complete with connectors.  | EACH     | \$468.06   |
| ANCILLA<br>RY | Instantel | 721A0802       | Micromate 75 m (250 ft) Extension Cable           | For use with Micromate geophones and microphones. Comes complete with connectors.  | EACH     | \$736.07   |
| ANCILLA<br>RY | Instantel | 721A3201       | Micromate Custom Extension Cable Kit              | Kit for splicing custom length extension cables for Micromate microphones or geophones in the field. Comes complete with two 2 m (6.5 ft) over molded cables. One cable has a male connector and the other a female connector on one end. The other end of each cable is unterminated. | EACH     | \$209.62   |
| ANCILLA<br>RY | Instantel | 721A1001       | Micromate USB to RS-232 Cable                     | Modem cable with 1.8 m (6 ft) cable for connecting a Micromate monitoring unit to a cellular modem.  | EACH     | \$75.62    |
| ANCILLA<br>RY | Instantel | 720A4901       | Minimate Pro Uniaxial Accelerometer Adaptor Cable | 2 m (6.5 ft) cable provides power from a Minimate Pro monitoring unit to operate an accelerometer.   | EACH     | \$917.93   |
| ANCILLA<br>RY | Instantel | 720A5201       | Minimate Pro Triaxial Accelerometer Adaptor Cable | 2 m (6.5 ft) cable provides power from a Minimate Pro monitoring unit to operate up to 3 accelerometers in uniaxial configuration.   | EACH     | \$1,909.57 |
| ANCILLA<br>RY | Instantel | 720A3301       | Minimate Pro 30 m (100 ft) Extension Cable        | For use with Minimate Pro geophones and microphones. Comes complete with connectors.   | EACH     | \$525.49   |
| ANCILLA<br>RY | Instantel | 720A3302       | Minimate Pro 75 m (250 ft) Extension Cable        | For use with Minimate Pro geophones and microphones. Comes complete with connectors.   | EACH     | \$755.21   |
| ANCILLA<br>RY | Instantel | 301-000034-000 | Minimate Pro Custom Length Extension Cable        | Custom length extension cable for Minimate Pro monitoring units. Must be purchased with connector assembly.  | PER FOOT | \$1.91     |
| ANCILLA<br>RY | Instantel | 720A3305       | Minimate Pro Custom Cable Connector Assembly      | Base price for custom length extension cable connectors and assembly. Must be purchased with a specified length of extension cable (p/n 301-000034-000).   | EACH     | \$378.09   |
| ANCILLA<br>RY | Instantel | 720A3401       | Minimate Pro Null Modem Cable                     | DB-9M 2 m (6.5 ft) cable for use when connecting a cellular modem to a Minimate Pro monitoring unit. One null modem cable is required for each monitoring unit.  | EACH     | \$276.62   |
| ANCILLA<br>RY | Instantel | 720A4101       | Minimate Pro Ethernet Cable                       | 1.5 m (4.9 ft) RJ-45 high speed network download cable. Transfers events and setup files to a PC over a network connection for faster download speeds.   | EACH     | \$276.62   |
| ANCILLA<br>RY | Instantel | 720A3101       | Minimate Pro Serial Cable                         | 1.7 m (5.7 ft) RS-232 cable for connecting a Minimate Pro monitoring unit to a PC. Note: Requires a PC with a 9-pin serial connector or a USB Adaptor Kit (p/n 714A7001).  | EACH     | \$276.62   |
| ANCILLA<br>RY | Instantel | 720A4001       | Minimate Pro Remote Alarm/RS-232 Splitter Cable   | 18 in (46 cm) cable for use when both a Remote Alarm Controller and a modem must be connected to a Minimate Pro monitoring unit at the same time.  | EACH     | \$429.77   |
| ANCILLA<br>RY | Instantel | 370-000024-000 | Micromate Power Adaptor                           | Mini USB power supply for use with Micromate monitoring units in North America. Input 100-240V AC. Output 5V DC, 1A.   | EACH     | \$37.33    |
| ANCILLA<br>RY | Instantel | 370-000002-000 | Minimate Pro Power Adaptor                        | Power adaptor for use with Minimate Pro monitoring units in North America. Input 110V AC. Output 12V DC, 1A.   | EACH     | \$46.90    |
| ANCILLA<br>RY | Instantel | 721A1201       | Micromate Universal Charger                       | Power adaptor for use with Micromate monitoring units internationally. Input 110-240V AC. Output 5V DC, 1A.  | EACH     | \$46.90    |
| ANCILLA<br>RY | Instantel | 712A5301       | Minimate Pro Universal Charger                    | Power adaptor for use with Minimate Pro monitoring units internationally. Input 110-240V AC. Output 12V DC, 1.67A.   | EACH     | \$85.19    |
| ANCILLA       | Instantel | 1712           | Microphone Windscreen                             | Foam ball for use with linear microphone assemblies (p/n   | EACH     | \$18.19    |



| RY            |                    |                |                                   | 721A0201, 720A1801, 720A4801, 714A9801, 714A2001 or 714A5501).   |      |          |
|---------------|--------------------|----------------|-----------------------------------|--|------|----------|
| ANCILLA<br>RY | Instantel          | 410-720001-000 | Sound Level Microphone Windscreen | Foam ball for use with Minimate Pro or Micromate Sound Level Microphones (p/n 721A2301 or 720A5101).   | EACH | \$18.19  |
| ANCILLA<br>RY | Instantel          | 720A6001       | Microphone Stand Assembly         | Total height measures 32 in (25.4 cm). For use with Instantel Linear and Sound Level Microphones (p/n 721A0201, 721A2301, 720A1801, 720A5101, 720A4801, 714A9801, 714A2001 or 714A5501). | EACH | \$75.62  |
| ANCILLA<br>RY | Instantel          | 400-720020-000 | Microphone Stand Extension Rod    | Extends the Microphone Stand Assembly an additional 11 in (28 cm). For use with the Microphone Stand Assembly (p/n 720A6001).  | EACH | \$23.93  |
| ANCILLA<br>RY | Instantel          | TP5000-80-25C  | Micromate Printer Paper           | For use with the Micromate Portable Printer. Package contains 5 rolls.   | EACH | \$66.05  |
| ANCILLA<br>RY | Instantel          | 721A3101       | Micromate Carrying Case           | Soft carrying case used to store and carry Micromate monitoring units and accessories. Foam insert included.   | EACH | \$37.33  |
| ANCILLA<br>RY | Instantel          | 720A6501       | Minimate Pro Carrying Case        | Soft carrying case used to store and carry Minimate Pro monitoring units and accessories. Foam insert included.  | EACH | \$46.90  |
| ANCILLA<br>RY | Instantel          | 720A4401       | Minimate Pro Hard Case            | Rigid plastic case used to store and carry the Minimate Pro base units and accessories. Foam insert included.  | EACH | \$353.20 |
| ANCILLA<br>RY | Instantel          | 1100241        | Triaxial Geophone Spike           | 3 in (76 mm) geophone spike for use with Instantel Triaxial Geophones or monitors with internal geophones.   | EACH | \$7.66   |
| 334515        | Micro Measurements | MMF003124      | CEA-00-125UN-350                  | Strain gages (5 per Package)   | PKG  | \$33.37  |
| 334515        | Micro Measurements | MMF003137      | CEA-00-125UR-350                  | Strain gages (5 per Package)   | PKG  | \$141.22 |
| 334515        | Micro Measurements | MMF003148      | CEA-00-125UT-350                  | Strain gages (5 per Package)   | PKG  | \$103.98 |
| 334515        | Micro Measurements | MMF009397      | CEA-00-250UN-350                  | Strain gages (5 per Package)   | PKG  | \$41.11  |
| 334515        | Micro Measurements | MMF003210      | CEA-00-250UR-350                  | Strain gages (5 per Package)   | PKG  | \$158.15 |
| 334515        | Micro Measurements | MMF003229      | CEA-00-250UT-350                  | Strain gages (5 per Package)   | PKG  | \$121.87 |
| 334515        | Micro Measurements | MMF003237      | CEA-00-250UW-120                  | Strain gages (5 per Package)   | PKG  | \$37.24  |
| 334515        | Micro Measurements | MMF003238      | CEA-00-250UW-350                  | Strain gages (5 per Package)   | PKG  | \$44.98  |
| 334515        | Micro Measurements | MMF003162      | CEA-03-125UW-350                  | Strain gages (5 per Package)   | PKG  | \$47.40  |
| 334515        | Micro Measurements | MMF003241      | CEA-03-250UW-350                  | Strain gages (5 per Package)   | PKG  | \$44.98  |
| 334515        | Micro Measurements | MMF004070      | CEA-05-062UW-350                  | Strain gages (5 per Package)   | PKG  | \$47.40  |
| 334515        | Micro Measurements | MMF003140      | CEA-05-125UR-350                  | Strain gages (5 per Package)   | PKG  | \$141.22 |
| 334515        | Micro Measurements | MMF003164      | CEA-05-125UW-350                  | Strain gages (5 per Package)   | PKG  | \$44.98  |
| 334515        | Micro Measurements | MMF003244      | CEA-05-250UW-350                  | Strain gages (5 per Package)   | PKG  | \$47.40  |
| 334515        | Micro Measurements | MMF003061      | CEA-06-032UW-120                  | Strain gages (5 per Package)   | PKG  | \$39.17  |
| 334515        | Micro Measurements | MMF017178      | CEA-06-062UL-120                  | Residual stress strain gages (5 per Package)   | PKG  | \$105.91 |
| 334515        | Micro Measurements | MMF003671      | CEA-06-062UM-120                  | Residual stress strain gages (5 per Package)   | PKG  | \$112.20 |
| 334515        | Micro Measurements | MMF003074      | CEA-06-062UR-350                  | Strain gages (5 per Package)   | PKG  | \$149.44 |
| 334515        | Micro Measurements | MMF016793      | CEA-06-062UR-350/P2               | Strain gages (5 per Package)   | PKG  | \$255.36 |
| 334515        | Micro Measurements | MMF003672      | CEA-06-062UT-350                  | Strain gages (5 per Package)   | PKG  | \$87.54  |
| 334515        | Micro Measurements | MMF010889      | CEA-06-062UV-350                  | Strain gages (5 per Package)   | PKG  | \$81.73  |
| 334515        | Micro Measurements | MMF003095      | CEA-06-062UW-120                  | Strain gages (5 per Package)   | PKG  | \$35.79  |
| 334515        | Micro Measurements | MMF003096      | CEA-06-062UW-350                  | Strain gages (5 per Package)   | PKG  | \$44.98  |
| 334515        | Micro Measurements | MMF017533      | CEA-06-062UW-350/P2               | Strain gages (5 per Package)   | PKG  | \$85.12  |
| 334515        | Micro Measurements | MMF003110      | CEA-06-062WT-350                  | Stacked Rosette strain gages (5 per Package)   | PKG  | \$104.95 |
| 334515        | Micro Measurements | MMF003128      | CEA-06-125UN-120                  | Strain gages (5 per Package)   | PKG  | \$29.50  |
| 334515        | Micro Measurements | MMF003129      | CEA-06-125UN-350                  | Strain gages (5 per Package)   | PKG  | \$33.37  |
| 334515        | Micro Measurements | MMF003668      | CEA-06-125UR-120                  | Strain gages (5 per Package)   | PKG  | \$109.78 |



|        |                    |            |                     |  |     |          |
|--------|--------------------|------------|---------------------|--|-----|----------|
| 334515 | Micro Measurements | MMF0031 41 | CEA-06-125UR-350    | Strain gages (5 per Package)                 | PKG | \$141.22 |
| 334515 | Micro Measurements | MMF0031 52 | CEA-06-125UT-120    | Strain gages (5 per Package)                 | PKG | \$89.47  |
| 334515 | Micro Measurements | MMF0031 53 | CEA-06-125UT-350    | Strain gages (5 per Package)                 | PKG | \$103.98 |
| 334515 | Micro Measurements | MMF0031 65 | CEA-06-125UW-120    | Strain gages (5 per Package)                 | PKG | \$33.34  |
| 334515 | Micro Measurements | MMF0031 66 | CEA-06-125UW-350    | Strain gages (5 per Package)                 | PKG | \$44.98  |
| 334515 | Micro Measurements | MMF0177 34 | CEA-06-125UW-350/P2 | Strain gages (5 per Package)                 | PKG | \$85.12  |
| 334515 | Micro Measurements | MMF0031 81 | CEA-06-125WT-120    | Stacked Rosette strain gages (5 per Package) | PKG | \$86.57  |
| 334515 | Micro Measurements | MMF0031 82 | CEA-06-125WT-350    | Stacked Rosette strain gages (5 per Package) | PKG | \$109.78 |
| 334515 | Micro Measurements | MMF0031 89 | CEA-06-187UV-350    | Strain gages (5 per Package)                 | PKG | \$105.91 |
| 334515 | Micro Measurements | MMF0032 03 | CEA-06-250UN-120    | Strain gages (5 per Package)                 | PKG | \$31.44  |
| 334515 | Micro Measurements | MMF0032 04 | CEA-06-250UN-350    | Strain gages (5 per Package)                 | PKG | \$41.11  |
| 334515 | Micro Measurements | MMF0032 15 | CEA-06-250UR-120    | Strain gages (5 per Package)                 | PKG | \$151.38 |
| 334515 | Micro Measurements | MMF0032 16 | CEA-06-250UR-350    | Strain gages (5 per Package)                 | PKG | \$158.15 |
| 334515 | Micro Measurements | MMF0032 24 | CEA-06-250US-350    | Strain gages (5 per Package)                 | PKG | \$229.72 |
| 334515 | Micro Measurements | MMF0162 12 | CEA-06-250UT-10C    | Strain gages (5 per Package)                 | PKG | \$138.80 |
| 334515 | Micro Measurements | MMF0032 33 | CEA-06-250UT-350    | Strain gages (5 per Package)                 | PKG | \$121.87 |
| 334515 | Micro Measurements | MMF0036 96 | CEA-06-250UW-120    | Strain gages (5 per Package)                 | PKG | \$35.79  |
| 334515 | Micro Measurements | MMF0032 47 | CEA-06-250UW-350    | Strain gages (5 per Package)                 | PKG | \$44.98  |
| 334515 | Micro Measurements | MMF0032 70 | CEA-06-500UW-120    | Strain gages (5 per Package)                 | PKG | \$56.68  |
| 334515 | Micro Measurements | MMF0032 71 | CEA-06-500UW-350    | Strain gages (5 per Package)                 | PKG | \$66.26  |
| 334515 | Micro Measurements | MMF0033 59 | CEA-06-W250A-120    | Weldable strain gages (5 per Package)        | PKG | \$98.66  |
| 334515 | Micro Measurements | MMF0033 61 | CEA-06-W250A-350    | Weldable strain gages (5 per Package)        | PKG | \$99.63  |
| 334515 | Micro Measurements | MMF0030 78 | CEA-13-062UR-350    | Strain gages (5 per Package)                 | PKG | \$149.44 |
| 334515 | Micro Measurements | MMF0030 89 | CEA-13-062UT-350    | Strain gages (5 per Package)                 | PKG | \$87.54  |
| 334515 | Micro Measurements | MMF0031 01 | CEA-13-062UW-350    | Strain gages (5 per Package)                 | PKG | \$44.98  |
| 334515 | Micro Measurements | MMF0031 14 | CEA-13-062WT-350    | Stacked Rosette strain gages (5 per Package) | PKG | \$104.95 |
| 334515 | Micro Measurements | MMF0031 33 | CEA-13-125UN-350    | Strain gages (5 per Package)                 | PKG | \$33.37  |
| 334515 | Micro Measurements | MMF0031 45 | CEA-13-125UR-350    | Strain gages (5 per Package)                 | PKG | \$141.22 |
| 334515 | Micro Measurements | MMF0031 57 | CEA-13-125UT-350    | Strain gages (5 per Package)                 | PKG | \$103.98 |
| 334515 | Micro Measurements | MMF0031 74 | CEA-13-125UW-350    | Strain gages (5 per Package)                 | PKG | \$44.98  |
| 334515 | Micro Measurements | MMF0031 93 | CEA-13-187UV-350    | Strain gages (5 per Package)                 | PKG | \$111.23 |
| 334515 | Micro Measurements | MMF0032 08 | CEA-13-250UN-350    | Strain gages (5 per Package)                 | PKG | \$41.11  |
| 334515 | Micro Measurements | MMF0032 19 | CEA-13-250UR-350    | Strain gages (5 per Package)                 | PKG | \$158.15 |
| 334515 | Micro Measurements | MMF0032 27 | CEA-13-250US-350    | Strain gages (5 per Package)                 | PKG | \$240.36 |
| 334515 | Micro Measurements | MMF0032 55 | CEA-13-250UW-10C    | Strain gages (5 per Package)                 | PKG | \$66.26  |
| 334515 | Micro Measurements | MMF0032 53 | CEA-13-250UW-120    | Strain gages (5 per Package)                 | PKG | \$37.24  |
| 334515 | Micro Measurements | MMF0032 54 | CEA-13-250UW-350    | Strain gages (5 per Package)                 | PKG | \$44.98  |
| 334515 | Micro Measurements | MMF0001 31 | EA-06-015DJ-120     | Strain gages (5 per Package)                 | PKG | \$67.22  |
| 334515 | Micro              | MMF0004    | EA-06-031DE-350     | Strain gages (5 per Package)                 | PKG | \$40.14  |



|        | Measurements       | 20        |                    |   |     |          |
|--------|--------------------|-----------|--------------------|---|-----|----------|
| 334515 | Micro Measurements | MMF000471 | EA-06-031EC-350    | Strain gages (5 per Package)              | PKG | \$40.14  |
| 334515 | Micro Measurements | MMF000552 | EA-06-031RE-120    | Residual Stress Strain gages (5 per Pack) | PKG | \$89.95  |
| 334515 | Micro Measurements | MMF000650 | EA-06-050TG-350    | Strain gages (5 per Package)              | PKG | \$90.44  |
| 334515 | Micro Measurements | MMF000936 | EA-06-062AQ-350    | Strain gages (5 per Package)              | PKG | \$29.50  |
| 334515 | Micro Measurements | MMF001062 | EA-06-062EN-350    | Strain gages (5 per Package)              | PKG | \$40.14  |
| 334515 | Micro Measurements | MMF004072 | EA-06-062RE-120    | Residual Stress Strain gages (5 per Pack) | PKG | \$89.95  |
| 334515 | Micro Measurements | MMF001173 | EA-06-062TJ-350    | Strain gages (5 per Package)              | PKG | \$76.41  |
| 334515 | Micro Measurements | MMF001190 | EA-06-062TT-350    | Strain gages (5 per Package)              | PKG | \$67.22  |
| 334515 | Micro Measurements | MMF001245 | EA-06-062TV-350    | Strain gages (5 per Package)              | PKG | \$79.80  |
| 334515 | Micro Measurements | MMF003683 | EA-06-062TZ-350    | Strain gages (5 per Package)              | PKG | \$71.58  |
| 334515 | Micro Measurements | MMF003010 | EA-06-10CBE-120    | Strain gages (5 per Package)              | PKG | \$77.86  |
| 334515 | Micro Measurements | MMF001747 | EA-06-125BZ-350/E  | Strain gages (5 per Package)              | PKG | \$28.53  |
| 334515 | Micro Measurements | MMF001916 | EA-06-125PC-350    | Strain gages (5 per Package)              | PKG | \$50.30  |
| 334515 | Micro Measurements | MMF002104 | EA-06-125TG-350    | Strain gages (5 per Package)              | PKG | \$76.41  |
| 334515 | Micro Measurements | MMF002145 | EA-06-125TK-350    | Strain gages (5 per Package)              | PKG | \$73.51  |
| 334515 | Micro Measurements | MMF002451 | EA-06-250BF-350    | Strain gages (5 per Package)              | PKG | \$31.92  |
| 334515 | Micro Measurements | MMF002504 | EA-06-250BG-120/LE | Strain gages (5 per Package)              | PKG | \$33.37  |
| 334515 | Micro Measurements | MMF015903 | WA-06-120WR-350    | Stacked Rosette (5 per Pack)              | PKG | \$235.53 |
| 334515 | Micro Measurements | MMF004128 | WA-06-120WR-350/W  | Stacked Rosette (5 per Pack)              | PKG | \$270.83 |
| 334515 | Micro Measurements | MMF002540 | WD-DY-250BG-350    | Strain gages (5 per Package)              | PKG | \$61.90  |
| 334515 | Micro Measurements | MMF016433 | WK-00-250BF-10C    | Strain gages (5 per Package)              | PKG | \$76.90  |
| 334515 | Micro Measurements | MMF002541 | WK-00-250BG-350    | Strain gages (5 per Package)              | PKG | \$62.39  |
| 334515 | Micro Measurements | MMF000813 | WK-06-060WR-350    | Stacked Rosette (5 per Pack)              | PKG | \$221.98 |
| 334515 | Micro Measurements | MMF000916 | WK-06-062AP-350    | Strain gages (5 per Package)              | PKG | \$80.28  |
| 334515 | Micro Measurements | MMF000918 | WK-06-062AP-350/W  | Strain gages (5 per Package)              | PKG | \$102.05 |
| 334515 | Micro Measurements | MMF001239 | WK-06-062TT-350    | Strain gages (5 per Package)              | PKG | \$127.68 |
| 334515 | Micro Measurements | MMF001627 | WK-06-125AD-350    | Strain gages (5 per Package)              | PKG | \$64.81  |
| 334515 | Micro Measurements | MMF022390 | WK-06-125TM-350/W  | Strain gages (5 per Package)              | PKG | \$186.20 |
| 334515 | Micro Measurements | MMF002549 | WK-06-250BG-350    | Strain gages (5 per Package)              | PKG | \$62.39  |
| 334515 | Micro Measurements | MMF003686 | WK-13-125RA-350    | Strain gages (5 per Package)              | PKG | \$191.03 |
| 334515 | Micro Measurements | MMF010125 | WK-13-250BG-350/W  | Strain gages (5 per Package)              | PKG | \$83.18  |
| 334515 | Micro Measurements | MMF010156 | SK-06-062DY-350    | Strain gages (5 per Package)              | PKG | \$78.83  |
| 334515 | Micro Measurements | MMF001166 | SK-06-062TH-350    | Strain gages (5 per Package)              | PKG | \$120.91 |
| 334515 | Micro Measurements | MMF002135 | SK-06-125TH-350    | Strain gages (5 per Package)              | PKG | \$139.77 |
| 334515 | Micro Measurements | MMF009863 | SK-06-250TM-350    | Strain gages (5 per Package)              | PKG | \$162.50 |
| 334515 | Micro Measurements | MMF006908 | ETG-50A/E          | Temperature Sensors (5 per Pack)          | PKG | \$58.04  |
| 334515 | Micro Measurements | MMF003366 | LWK-06-W250B-350   | Weldable Strain Gages (5 per Pack)        | PKG | \$148.96 |
| 334515 | Micro Measurements | MMF006396 | CEG-100C TERMINALS | 20 Strips of 8 per Pack                   | PKG | \$13.06  |



|        |                    |            |                          |                                  |      |          |
|--------|--------------------|------------|--------------------------|----------------------------------|------|----------|
| 334515 | Micro Measurements | MMF0064 01 | CEG-100D TERMINALS       | 15 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0064 04 | CEG-21S TERMINALS        | 200 Pairs per Pack               | PKG  | \$17.51  |
| 334515 | Micro Measurements | MMF0063 90 | CEG-25C TERMINALS        | 70 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0063 91 | CEG-38C TERMINALS        | 60 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0064 05 | CEG-42S TERMINALS        | 25 Strips per Pack               | PKG  | \$17.51  |
| 334515 | Micro Measurements | MMF0063 92 | CEG-50C TERMINALS        | 50 Strips or 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0063 98 | CEG-50D TERMINALS        | 30 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0063 99 | CEG-60D TERMINALS        | 25 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0064 06 | CEG-63S TERMINALS        | 50 Strips per Pack               | PKG  | \$17.51  |
| 334515 | Micro Measurements | MMF0063 94 | CEG-75C TERMINALS        | 30 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0064 00 | CEG-75D TERMINALS        | 20 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0064 07 | CEG-83S TERMINALS        | 60 Pairs per Pack                | PKG  | \$17.51  |
| 334515 | Micro Measurements | MMF0080 58 | CLTS-2B TEMPERATURE      | Stacked Rosette (2 per Pack)     | PKG  | \$137.93 |
| 334515 | Micro Measurements | MMF0064 34 | CLTS-N-C MATCHING        | Network                          | PKG  | \$81.25  |
| 334515 | Micro Measurements | MMF0089 50 | CPF-100C TERMINALS       | 20 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 51 | CPF-100D TERMINALS       | 15 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0094 27 | CPF-150C TERMINALS       | 10 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 53 | CPF-25C TERMINALS        | 70 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 54 | CPF-38C TERMINALS        | 60 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 55 | CPF-50C TERMINALS        | 50 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 56 | CPF-50D TERMINALS        | 30 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 57 | CPF-60D TERMINALS        | 25 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 59 | CPF-75C TERMINALS        | 30 Strips of 8 per Pack          | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0089 60 | CPF-75D TERMINALS        | 20 Strips per Pack               | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF0097 03 | CPF-AST TERMINALS        | Assortment                       | PKG  | \$13.06  |
| 334515 | Micro Measurements | MMF3345 66 | CSM-3 DEGREASER          | 20 Oz. Pressurized Can           | EACH | \$26.70  |
| 334515 | Micro Measurements | MMF0226 56 | M-BOND 200 ADHESIVE      | ADHESIVE 1 Bottle- 1 Oz./28g     | EACH | \$36.66  |
| 334515 | Micro Measurements | MMF3263 46 | M-BOND 200 ADHESIVE      | ADHESIVE Multi Pack (5 x 2g)     | EACH | \$28.05  |
| 334515 | Micro Measurements | MMF0226 57 | M-BOND 200 CATALYST      | CATALYST 1 Bottle, 30ml          | EACH | \$9.58   |
| 334515 | Micro Measurements | MMF0168 45 | M-BOND 200 CATALYST BULK | CATALYST BULK 12 x 1 Oz. Bottles | EACH | \$65.00  |
| 334515 | Micro Measurements | MMF0066 78 | M-BOND 200 KIT           | KIT 1 Oz./28g                    | KIT  | \$43.33  |
| 334515 | Micro Measurements | MMF0226 55 | M-BOND 43-B ADHESIVE     | ADHESIVE 1 Bottle, 30ml          | EACH | \$20.51  |
| 334515 | Micro Measurements | MMF0066 80 | M-BOND 43-B KIT          | KIT                              | EACH | \$61.03  |
| 334515 | Micro Measurements | MMF0066 81 | M-BOND 600 KIT           | KIT                              | EACH | \$92.47  |
| 334515 | Micro Measurements | MMF0222 52 | M-BOND 600-1 ADHESIVE    | ADHESIVE                         | EACH | \$31.34  |
| 334515 | Micro Measurements | MMF0066 82 | M-BOND 610 KIT           | KIT                              | EACH | \$92.47  |
| 334515 | Micro Measurements | MMF0222 53 | M-BOND 610-1 ADHESIVE    | ADHESIVE                         | EACH | \$31.34  |
| 334515 | Micro Measurements | MMF0066 83 | M-BOND A-12 KIT          | KIT                              | EACH | \$61.03  |
| 334515 | Micro              | MMF0155    | M-BOND AE-10 BULK        | BULK                             | EACH | \$117.71 |





|            | Measurements       | 79        |                  |  |       |            |
|------------|--------------------|-----------|------------------|--|-------|------------|
| 334515     | Micro Measurements | MMF015578 | M-BOND AE-10 KIT | KIT  | EACH  | \$88.02    |
| 334515     | Micro Measurements | MMF015532 | M-BOND AE-15 KIT | KIT  | EACH  | \$88.02    |
| 334515     | Micro Measurements | MMF006685 | M-BOND GA-2 KIT  | KIT  | EACH  | \$81.25    |
| 334515     | Micro Measurements | MMF006686 | M-BOND GA-61 KIT | KIT  | EACH  | \$70.32    |
| 334515     | Micro Measurements | MMF006556 | MCA-1 M-PREP     | Conditioner A, 2 Oz. Bottle                        | EACH  | \$6.87     |
| 334515     | Micro Measurements | MMF006557 | MCA-2 M-PREP     | Conditioner A, 16 Oz. Bottle                       | EACH  | \$12.86    |
| 334515     | Micro Measurements | MMF006687 | M-COAT A KIT     | KIT Polyurethane (4 x 1 Oz.)                       | EACH  | \$33.95    |
| 334515     | Micro Measurements | MMF006688 | M-COAT B KIT     | KIT Nitrile Rubber (4 x 1 Oz.)                     | EACH  | \$31.15    |
| 334515     | Micro Measurements | MMF006689 | M-COAT C KIT     | KIT RTV Silicone Rubber (4 x 1 Oz.)                | EACH  | \$61.03    |
| 334515     | Micro Measurements | MMF006690 | M-COAT D KIT     | KIT Air-Drying Acrylic Lacquer (4 x 1 Oz.)         | EACH  | \$46.14    |
| 334515     | Micro Measurements | MMF006692 | M-COAT F KIT     | KIT  | EACH  | \$88.02    |
| 334515     | Micro Measurements | MMF006693 | M-COAT FA-2      | Aluminum Foil Tape (20 ft. Roll)                   | EACH  | \$18.18    |
| 334515     | Micro Measurements | MMF006694 | M-COAT FB-2      | Butyl Rubber (25 pcs)                              | EACH  | \$64.23    |
| 334515     | Micro Measurements | MMF006695 | M-COAT FBT       | Butyl Rubber (4 x 75g Tubes)                       | EACH  | \$66.26    |
| 334515     | Micro Measurements | MMF015505 | M-COAT FBT-1     | 1 Quart Butyl Rubber                               | EACH  | \$182.91   |
| 334515     | Micro Measurements | MMF006697 | M-COAT FT        | Teflon Tape (10 pcs)                               | EACH  | \$31.05    |
| 334515     | Micro Measurements | MMF335154 | M-COAT JA-1 KIT  | KIT Polysulfides (70g mix)                         | EACH  | \$53.68    |
| 334515     | Micro Measurements | MMF335156 | M-COAT JA-3 KIT  | KIT Polysulfides (3 x 70g mix)                     | EACH  | \$149.92   |
| 334515     | Micro Measurements | MMF006602 | MIG-2            | Mylar Tape, 1/2in x 216 ft.                        | SPOOL | \$25.34    |
| 334515     | Micro Measurements | MMF012834 | MN5A-1           | M-Prep Neutralizer 5A, 2 Oz. Bottle                | EACH  | \$6.87     |
| 334515     | Micro Measurements | MMF012833 | MN5A-2           | M-Prep Neutralizer 5A, 16 Oz. Bottle               | EACH  | \$12.86    |
| 334515     | Micro Measurements | MMF310009 | PCT-2M           | Gage Installation Tape (3/4 in. x 75 ft.)          | SPOOL | \$24.28    |
| 334515     | Micro Measurements | MMF006601 | PLY-001          | Krapton Film                                       | EACH  | \$13.06    |
| 334515     | Micro Measurements | MMFRS-200 | RS-200           | Milling Guide                                      | EACH  | \$7,544.58 |
| ANCILLA RY | Micro Measurements | MMF006633 | RSK-1            | Rosin Solvent (12 x 1 Oz. Bottles)                 | EACH  | \$52.81    |
| ANCILLA RY | Micro Measurements | MMF006665 | RSK-2            | M-Line Rosin Solvent (Quart)                       | EACH  | \$101.46   |
| ANCILLA RY | Micro Measurements | MMF020194 | RSK-4            | Rosin Solvent (4 x 1 Oz. Bottles)                  | EACH  | \$18.38    |
| ANCILLA RY | Micro Measurements | MMF006560 | SCP-1            | Silicone-Carbide Paper (220 Grit, 1 in. x 100 ft.) | EACH  | \$29.02    |
| ANCILLA RY | Micro Measurements | MMF006561 | SCP-2            | Silicone-Carbide Paper (320 Grit, 1 in. x 100 ft.) | EACH  | \$29.02    |
| ANCILLA RY | Micro Measurements | MMF006563 | SCP-3            | Silicone-Carbide Paper (400 Grit, 1 in. x 100 ft.) | EACH  | \$29.02    |
| ANCILLA RY | Micro Measurements | MMF006613 | SGP-1            | Silicone Rubber (3 pcs)                            | EACH  | \$14.41    |
| ANCILLA RY | Micro Measurements | MMF006614 | SGP-2            | Silicone Rubber (1 sheet)                          | EACH  | \$17.31    |
| ANCILLA RY | Micro Measurements | MMF006538 | 3140             | RTV Silicone Rubber (3 oz.)                        | EACH  | \$35.98    |
| ANCILLA RY | Micro Measurements | MMF006539 | 3145             | RTV Silicone Rubber (3 oz.)                        | EACH  | \$47.59    |
| ANCILLA RY | Micro Measurements | MMF006611 | TFE-1            | Teflon Film (0.003 in. x 1 in. x 50 ft.)           | EACH  | \$20.12    |
| ANCILLA RY | Micro Measurements | MMF009709 | TFE-2            | Teflon Tape (0.5 in. x 36YD x 0.0035 in.)          | EACH  | \$76.51    |
| ANCILLA RY | Micro Measurements | MMF006603 | TFT-1            | Thermosetting Fiberglass Tape (0.5 in. x 60 ft.)   | EACH  | \$24.66    |
| 334515     | Micro Measurements | MMF022335 | BAK-200          | Basic Application Kit                              | EACH  | \$78.15    |



|               |                       |                  |                                     |   |      |            |
|---------------|-----------------------|------------------|-------------------------------------|---|------|------------|
| ANCILLA<br>RY | Micro<br>Measurements | MMF0228<br>72    | BARRIER E                           | Butyl Rubber Vinyl (5qty 4 in. x 6 in.) | EACH | \$28.44    |
| 334515        | Micro<br>Measurements | MMF3247<br>76    | EPY-500 ADHESIVE KIT                | KIT 5 x 10g Pkg                         | KIT  | \$106.20   |
| 334515        | Micro<br>Measurements | MMF0067<br>55    | FWK-5 KIT                           | KIT                                     | KIT  | \$51.65    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0227<br>19    | GAGEKOTE #5                         | 4 x 2 Oz. Kit                           | KIT  | \$63.65    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0226<br>36    | GAGEKOTE #8 - 12 x 1 Oz.<br>Bottles | 12 x 1 Oz. Bottles                      | EACH | \$130.10   |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0227<br>10    | GAGEKOTE #8 - 1 Oz. Bottle          | 1 Oz. Bottle                            | EACH | \$22.73    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0228<br>46    | GAGEKOTE #8 - 8 Oz. Bottle          | 8 Oz. Bottle                            | EACH | \$38.01    |
| 334515        | Micro<br>Measurements | MMF0102<br>19    | GAK-2-200                           | KIT                                     | KIT  | \$292.88   |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>68    | GSP-1                               | Gage Sponges (package of 200)           | EACH | \$12.48    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0066<br>12    | GT-14                               | Pressure Pads and Backup Plates         | EACH | \$21.57    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0227<br>84    | H-CEMENT                            | 1 oz. Bottle                            | EACH | \$54.26    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0066<br>07    | HSC-1                               | CLAMP 1 in.                             | EACH | \$8.71     |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0066<br>08    | HSC-2                               | CLAMP 2 in.                             | EACH | \$10.16    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0066<br>09    | HSC-3                               | CLAMP 3 in.                             | EACH | \$16.54    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>96    | SPT-1                               | Spatula, Double-Blade                   | EACH | \$7.25     |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>97    | SPT-2                               | Spatula, Single-Blade                   | EACH | \$18.76    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>88    | SSC-1                               | Surgical Scalpel with Blade             | EACH | \$27.28    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>89    | SSC-2                               | Scalpel Blade (5 per Pack)              | EACH | \$9.19     |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>84    | SSH-1                               | Surgical Shears                         | EACH | \$28.44    |
| ANCILLA<br>RY | Micro<br>Measurements | MMF0065<br>90    | SSS-1                               | Steel Scale                             | EACH | \$16.83    |
| 334515        | Micro<br>Measurements | MM120-<br>001225 | MODEL 700 WELDER                    | WELDER Spot Welder                      | EACH | \$3,530.48 |
| 334515        | Micro<br>Measurements | MMF0113<br>62    | MR1-10C-129                         | Bridge Completion Module (1 per Pack)   | EACH | \$47.11    |
| 334515        | Micro<br>Measurements | MMF0113<br>61    | MR1-350-127                         | Bridge Completion Module (1 per Pack)   | EACH | \$88.21    |
| 334515        | Micro<br>Measurements | MMF0113<br>40    | MR1-350-130                         | Bridge Completion Module (1 per Pack)   | EACH | \$47.11    |
| 334515        | Micro<br>Measurements | MMF0113<br>60    | MR2-350-128                         | Bridge Completion Module (1 per Pack)   | EACH | \$36.56    |
| 334515        | Micro<br>Measurements | MMF0064<br>72    | H-1000-01                           | Precision Resistor                      | EACH | \$19.15    |
| 334515        | Micro<br>Measurements | MMF0064<br>71    | H-350-01                            | Precision Resistor                      | EACH | \$19.15    |
| 334515        | Micro<br>Measurements | MMF0064<br>66    | S-1000-01                           | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>60    | S-100-01                            | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>61    | S-120-01                            | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>50    | S-17150-01                          | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>62    | S-175-01                            | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0066<br>53    | S-34650-01                          | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>64    | S-350-01                            | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>68    | S-5000-01                           | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>38    | S-59880-01                          | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>46    | S-87150-01                          | Precision Resistor                      | EACH | \$10.93    |
| 334515        | Micro<br>Measurements | MMF0064<br>45    | W-174650-02                         | Precision Resistor                      | EACH | \$15.19    |
| 334515        | Micro                 | MMF0064          | W-349650-02                         | Precision Resistor                      | EACH | \$15.19    |



|            |                    |            |                          |   |       |            |
|------------|--------------------|------------|--------------------------|---|-------|------------|
|            | Measurements       | 44         |                          |   |       |            |
| 334515     | Micro Measurements | MMF0064 36 | W-599880-02              | Precision Resistor                      | EACH  | \$15.19    |
| ANCILLA RY | Micro Measurements | MMF0064 95 | 126-DWV 100' BLACK WIRE  | BLACK WIRE STD Tinned CU, Vinyl jacket. | SPOOL | \$14.90    |
| ANCILLA RY | Micro Measurements | MMF0064 96 | 126-DWV 100' GREEN WIRE  | GREEN WIRE STD Tinned CU, Vinyl jacket. | SPOOL | \$14.90    |
| ANCILLA RY | Micro Measurements | MMF0064 93 | 126-DWV 100' RED WIRE    | RED WIRE STD Tinned CU, Vinyl jacket.   | SPOOL | \$14.90    |
| ANCILLA RY | Micro Measurements | MMF0064 94 | 126-DWV 100' WHITE WIRE  | WHITE WIRE STD Tinned CU, Vinyl jacket. | SPOOL | \$14.90    |
| ANCILLA RY | Micro Measurements | MMF0064 87 | 130-AWN 500' WIRE NYLON  | WIRE NYLON Polyurethane Enamel          | SPOOL | \$33.37    |
| ANCILLA RY | Micro Measurements | MMF0112 66 | 134-AWN-B 500' WIRE      | WIRE                                    | SPOOL | \$48.17    |
| ANCILLA RY | Micro Measurements | MMF0112 67 | 134-AWN-G 500' WIRE      | WIRE                                    | SPOOL | \$48.17    |
| ANCILLA RY | Micro Measurements | MMF0112 68 | 134-AWN-R 500' WIRE      | WIRE                                    | SPOOL | \$48.17    |
| ANCILLA RY | Micro Measurements | MMF0112 69 | 134-AWN-W 500' WIRE      | WIRE                                    | SPOOL | \$48.17    |
| ANCILLA RY | Micro Measurements | MMF0064 84 | 134-AWP 500' WIRE SOLID  | WIRE SOLID CU, Polyurethane Enamel      | SPOOL | \$16.83    |
| ANCILLA RY | Micro Measurements | MMF0064 90 | 134-AWQ 500' WIRE SOLID  | WIRE SOLID CU, Polyamide Enamel         | SPOOL | \$34.72    |
| ANCILLA RY | Micro Measurements | MMF0064 85 | 136-AWP 500' WIRE SOLID  | WIRE SOLID CU, Polyurethane Enamel      | SPOOL | \$22.05    |
| ANCILLA RY | Micro Measurements | MMF0067 04 | 137-HWN 200' SOLID MANGA | SOLID MANGA NIN, Nylon/Polyurethane     | SPOOL | \$22.05    |
| ANCILLA RY | Micro Measurements | MMF0065 02 | 326-DFV 100' WIRE STD    | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$40.91    |
| ANCILLA RY | Micro Measurements | MMF0065 03 | 326-DFV 1000' WIRE STD   | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$352.85   |
| ANCILLA RY | Micro Measurements | MMF0065 08 | 326-DSV 1000' STD TINNED | STD TINNED CU Twisted Vinyl Shielded    | SPOOL | \$586.83   |
| ANCILLA RY | Micro Measurements | MMF0065 06 | 326-DTV 1000' WIRE STD   | WIRE STD Tinned CU Twisted Vinyl        | SPOOL | \$217.25   |
| ANCILLA RY | Micro Measurements | MMF0065 16 | 326-GJF 100' SOLID NI    | SOLID NI Clad CU Twisted Fiberglass     | SPOOL | \$195.22   |
| ANCILLA RY | Micro Measurements | MMF0065 04 | 330-DFV 100' WIRE        | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$43.43    |
| ANCILLA RY | Micro Measurements | MMF0066 69 | 330-DFV 1000' WIRE       | WIRE                                    | SPOOL | \$358.37   |
| ANCILLA RY | Micro Measurements | MMF0065 11 | 330-FJT 100' STD SILVER  | STD SILVER Plated CU Twisted Teflon     | SPOOL | \$139.28   |
| ANCILLA RY | Micro Measurements | MMF0065 12 | 330-FJT 1000' STD SILVER | STD SILVER Plated CU Twisted Teflon     | SPOOL | \$1,240.41 |
| ANCILLA RY | Micro Measurements | MMF0065 14 | 330-FTE 100' STD SILVER  | STD SILVER Plated CU Twisted ETECH      | SPOOL | \$74.19    |
| ANCILLA RY | Micro Measurements | MMF0065 15 | 330-FTE 500' STD SILVER  | STD SILVER Plated CU Twisted ETECH      | SPOOL | \$314.74   |
| ANCILLA RY | Micro Measurements | MMF0065 13 | 336-FTE 50' STD SILVER   | STD SILVER Plated CU Twisted ETECH      | SPOOL | \$179.23   |
| ANCILLA RY | Micro Measurements | MMF0065 18 | 426-DFV 100' WIRE STD    | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$43.43    |
| ANCILLA RY | Micro Measurements | MMF0065 19 | 426-DFV 1000' WIRE STD   | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$352.85   |
| ANCILLA RY | Micro Measurements | MMF0065 21 | 430-DFV 100' WIRE STD    | WIRE STD Tinned CU Flat Vinyl           | SPOOL | \$45.75    |
| ANCILLA RY | Micro Measurements | MMF0065 24 | 430-FST 100' STD SILVER  | STD SILVER Plate CU Twisted Teflon      | SPOOL | \$172.46   |
| ANCILLA RY | Micro Measurements | MMF0065 25 | 430-FST 1000' STD SILVER | STD SILVER Plate CU Twisted Teflon      | SPOOL | \$1,494.89 |
| ANCILLA RY | Micro Measurements | MMF0066 30 | 1240-FPA                 | SOLDER Paste, 1 Oz.                     | SPOOL | \$83.86    |
| ANCILLA RY | Micro Measurements | MMF0066 22 | 361-40R                  | Tin-Lead, 1 Lb.                         | SPOOL | \$46.14    |
| ANCILLA RY | Micro Measurements | MMF0066 20 | 361A-20R                 | Tin-Lead-Antimony, 1 Lb.                | SPOOL | \$51.17    |
| ANCILLA RY | Micro Measurements | MMF0066 19 | 361A-20R-25              | Tin-Lead-Antimony, 25 ft.               | SPOOL | \$11.12    |
| ANCILLA RY | Micro Measurements | MMF0066 26 | 450-20S-25               | Tin-Antimony, 25ft.                     | SPOOL | \$10.54    |
| ANCILLA RY | Micro Measurements | MMF0066 28 | 570-28R-20               | Lead-Tin-Silver, 20 ft.                 | SPOOL | \$8.32     |
| ANCILLA RY | Micro Measurements | MMF3303 64 | M-FLUX AR-2              | BULK 12 x 1 Oz. Bottles                 | EACH  | \$86.67    |



|           |                    |              |                  |  |      |            |
|-----------|--------------------|--------------|------------------|--|------|------------|
| ANCILLARY | Micro Measurements | MMF3303 62   | M-FLUX FAR-2     | KIT                                      | KIT  | \$37.24    |
| ANCILLARY | Micro Measurements | MMF0066 34   | M5S-1-115 MARK V | V Soldering Station (115VAC)             | EACH | \$637.81   |
| ANCILLARY | Micro Measurements | MMF0066 35   | M5S-1-230 MARK V | V Soldering Station (230VAC)             | EACH | \$637.81   |
| ANCILLARY | Micro Measurements | MMF3350 56   | M5S-4 MARK V     | V PENCIL ONLY Replacement Kit            | EACH | \$328.87   |
| 334515    | Micro Measurements | MM120-001164 | 1300             | Strain Gage Tester                       | EACH | \$1,508.92 |
| 334515    | Micro Measurements | MM120-001417 | 2110B            | Power Supply                             | EACH | \$1,195.53 |
| 334515    | Micro Measurements | MM120-001435 | 2120B            | Conditioner Amplifier                    | EACH | \$1,624.99 |
| 334515    | Micro Measurements | MM120-001463 | 2210B            | Signal Conditioning Amplifier            | EACH | \$1,915.16 |
| 334515    | Micro Measurements | MM120-001196 | 2310-A20         | Line Cord and Conditioning Amp           | EACH | \$96.73    |
| 334515    | Micro Measurements | MM120-001537 | 2310B            | Signal Conditioning Amp                  | EACH | \$2,147.30 |
| 334515    | Micro Measurements | MM120-001547 | 2360B            | Portable Enclosure                       | EACH | \$1,160.71 |
| 334515    | Micro Measurements | MM120-001550 | 7000-128A-PS     | Mains Power Supply                       | EACH | \$696.42   |
| 334515    | Micro Measurements | MM120-001501 | 7000-128-SM      | Scanner                                  | EACH | \$5,319.90 |
| 334515    | Micro Measurements | MM120-001542 | 7000-32-PS       | Mains Power Supply                       | EACH | \$326.93   |
| 334515    | Micro Measurements | MM120-001502 | 7000-32-SM       | Scanner                                  | EACH | \$4,062.47 |
| 334515    | Micro Measurements | MM120-001514 | 7003-8-A-I       | Analog Input Card                        | EACH | \$1,470.23 |
| 334515    | Micro Measurements | MM120-001509 | 7003-8-HL        | High Level Card                          | EACH | \$1,837.78 |
| 334515    | Micro Measurements | MM120-001513 | 7003-8           | LVDT Input Card                          | EACH | \$2,103.78 |
| 334515    | Micro Measurements | MM120-001505 | 7003-8-SG        | Strain Gage Card                         | EACH | \$1,876.47 |
| 334515    | Micro Measurements | MM120-001565 | 7003-8-SG-A      | Strain Gage Card with Analog Output      | EACH | \$1,876.47 |
| 334515    | Micro Measurements | MM120-001510 | 7003-8-TC        | Thermocouple Card                        | EACH | \$1,044.63 |
| 334515    | Micro Measurements | MM120-001577 | 8000-8-SM        | Scanner with Data Acquisition Card       | EACH | \$3,627.20 |
| 334515    | Micro Measurements | MM120-001579 | A123             | VCAL Card                                | EACH | \$812.49   |
| 334515    | Micro Measurements | MM120-001570 | D4               | Data Acquisition Conditioner             | EACH | \$1,160.71 |
| 334515    | Micro Measurements | MM120-001469 | P3               | Strain Indicator and Recorder            | EACH | \$1,905.49 |
| 334515    | Micro Measurements | MM120-001554 | P3/TIO           | Strain Indicator with Trans Input Option | EACH | \$2,514.86 |
| ANCILLARY | Micro Measurements | MM120-001540 | STRAINSMART      | Software with Drivers                    | EACH | \$1,450.88 |



## 1c. Labor Categories, Descriptions, and Rate Schedule.

| SINs          | CATEGORY           | DESCRIPTION  | MINIMUM EDUCATION/ CERTIFICATION LEVEL | MINIMUM YEARS OF EXPERIENCE | PRICE    |
|---------------|--------------------|--|--|-----------------------------|----------|
| 541380/541380 | Principal Engineer | Fulfills overall business, product development, and project management roles as required. Serves as a technical staff resource for all aspects of structural testing, analysis, and evaluation. Establishes important project goal criteria and assists with testing and evaluation decisions. Directs the overall tasks of other engineers and technical personnel. Incumbent must have a M.S. degree in Engineering, a professional engineering license, and 20 years of engineering experience. | M.S. Eng/PE                            | 20 Years                    | \$159.54 |
| 541380/541380 | Project Engineer   | Lead engineer for projects. Applies education and experience to manage, coordinate and complete project. Conducts work requiring independent evaluation and judgment. Interfaces with clients and agencies regarding professional and project issues. Carries out responsibilities given general instructions. Incumbent must have a B.S. in Engineering plus 10 years of engineering experience.  | B.S. Eng                               | 10 Years                    | \$112.23 |
| 541380/541380 | Staff Engineer     | Support engineer for projects. Applies education and experience to performing structural testing and analysis projects. Serves on project team under direction from Project Manager. Conducts work requiring independent evaluation and judgment. Interfaces with clients and agencies regarding project issues. Incumbent must have a B.S. in Engineering and professional engineering license and five years' experience.  | B.S.Eng/PE                             | 5 Years                     | \$86.33  |
| 541380/541380 | Support Engineer   | Structural engineer for projects. Applies education and experience to performing structural testing and analysis projects. Can manage conventional projects and serves on project team. Conducts work requiring independent evaluation and judgment. Interfaces with clients and agencies regarding project issues. Carries out responsibilities given general instruction. Incumbent must have a B.S. in Engineering and three years' experience.   | B.S Eng.                               | 3 Years                     | \$80.55  |
| 541380/541380 | Senior Technician  | Education and/or experience in a technical field. Is able to perform technical roles including field testing, development of test equipment, assemble electronic systems, and develop CAD drawings with only general supervision. Knowledgeable in required CAD and data acquisition software. Assigns tasks to Staff Technicians as necessary. Incumbent must have an Associate degree and five years' experience.  | Associates                             | 5 Years                     | \$71.94  |
| 541380/541380 | Staff Technician   | Education and/or experience in a technical field. Able to perform basic assigned technical roles. Technician classification level is dependent on experience, education, and performance. Incumbent must have an Associate degree and two years' experience.   | Associates                             | 2 Years                     | \$47.88  |



### 1d. Training Course List

| Course Title        | Course Description   | Course Length | Minimum Participants | Maximum Participants | Price             | UOI        |
|---------------------|--|---------------|----------------------|----------------------|-------------------|------------|
| Training Program I  | On---Site Training Program I ---One---day office training program that includes a comprehensive presentation on the operation procedures of the STS equipment & STS---LIVE software. This will include installing and testing the software on the client's computer. Travel and Mobilization is not included.  | One Day       | 1                    | 100                  | <b>\$2,912.85</b> | Per Course |
| Training Program II | On-Site Training Program: Three-day training Program that Includes a comprehensive presentation on the operation procedures of the STS equipment & STS-LIVE software. In addition, the client can set up a field test where we can install the equipment on a structure and go through the testing procedures. Finally, he data collected will be reviewed with the client. Travel and Mobilization is not included. | Three Days    | 1                    | 100                  | <b>\$4,591.44</b> | Per Course |

2. Maximum Order: \$250,000.00 USD

3. Minimum Order: \$500.00 USD

4. Geographic Coverage:

The 48 Contiguous States and the District of Colombia, Alaska, Hawaii, Puerto Rico and International

5. Points of Production: Louisville, CO Boulder County

6. Prices herein are net

7. Quantity Discounts: None

8. Prompt Payment Terms: None. Information for ordering offices: Prompt payment terms cannot be negotiated out of the contractual agreement in exchange for other concessions.

9. Government purchase cards are accepted above the micro-purchase threshold.

10. Foreign Item: N/A

11. a) Delivery Time: 4-6 weeks

b) Expedited Delivery: Items available for expedited delivery are noted in this price list. May be available upon request

c) Overnight and 2-day delivery: May be available upon request

d) Urgent Requirements: May be available upon request

12. FOB Points:

The 48 Contiguous States, The District of Columbia, Alaska, Hawaii, Puerto Rico are FOB Origin.

13. a) Ordering Address:

Bridge Diagnostics, Inc.

740 South Pierce Avenue, Unit 15

Louisville, CO 80027-3058

TAX ID # 84-1137406





CAGE CODE: 1GYL8



b) Ordering Procedures: Orders accepted via phone call, email, or fax.

14. Payment Address:

Bridge Diagnostics, Inc.  
740 South Pierce Avenue, Unit 15  
Louisville, CO 80027-3058

15. Warranty Provisions: Bridge Diagnostics, Inc. warrants its products to be free from defects in materials and workmanship under normal use and service for thirty-six (36) months from date of shipment. This warranty shall be void if any products have been subjected to modification, misuse, neglect, accidents of nature, or shipping damage. Batteries have no warranty.

16. Export Packaging: Handled per request

17. Terms and conditions of Gov't Credit Cards: Accept any above micro-purchase threshold.

18. Terms and conditions of rental, maintenance, and repair (if applicable) n/a

19. Terms and conditions of installation (if applicable)— n/a

20. a) Terms and conditions of repair parts indicating date of parts price list and any discounts from price lists : Equipment is not to be returned without first contacting Bridge Diagnostics, Inc. and obtaining consent. All equipment sales are considered final, however, there may be instances where Bridge Diagnostics, Inc. will approve returns. Returns must be unused and must be packaged to prevent damage, insured, and return shipping prepaid. Returned equipment is subject to a 25% restocking fee.  
b) Terms and conditions for any other services (if applicable): n/a

21. List of service and distribution points (if applicable): n/a

22. List of participating dealers (if applicable): n/a

23. Preventative maintenance (if applicable): n/a

24. a) Special attributes such as environmental attributes (e.g., recycled content, energy efficiency, and /or reduced pollutants. n/a  
b) If applicable, indicate that Section 508 compliance information is available on Electronic and Information Technology (EIT) supplies and services and show where full details can be found (e.g. contractor's website or other location.) The EIT standards can be found at [www.Section508.gov](http://www.Section508.gov)). n/a

25. DUNS #: 557400785

26. Notification regarding registration in System for Award Management (SAM) database: Active  
Registration